



Q.LIGN 360

## Wheel Aligner Q.Lign 360 START

Article number: 1690800013

## Description

### Big Power for Small Spaces: Q.Lign 360 START

Upgrade your workshop without compromise on space, budget, or technology. The **Q.LIGN 360 START** bridges the gap between compact, space-saving CCD systems and full-scale 3D aligners by delivering true 3D performance in a footprint that fits smaller workshops.

The **Q.LIGN 360 START**: wall-mount the technology, run it from a tablet, and turn any standard service bay into an advanced 3D alignment zone instantly.

### Wall-Mounted Design: Zero Floor Space Required

- **True 360-Degree Mobility:** Without metal beams boxing in your service bay, technicians have unobstructed, safe access all the way around the lift and the vehicle
- **Absolute Lift Versatility:** Runout compensation can be completed at floor level, and mechanical adjustments can be done with the lift fully raised. The tracking is optical, not mechanical
- **Flexible Installation:** The system easily fits setups where the lift sits 1.8 to 3.3 meters from the wall, with an optional extendable wall mount reaching up to 4.2 meters

### Low Overhead, High Efficiency

- **Always ready for action:** Mount the targets and start measuring immediately. In any lift position
- **Tablet-Controlled Workflows:** Ditch the trolley, column, PC, and printer! No extra maintenance, no wasted space. Run the entire alignment process from a mobile tablet, whether you're in the driver's seat or working underneath the vehicle
- **Universal MultiFit Clamps:** Fast, self-centering setup that effortlessly fits 13" to 22" rims without extra accessories
- **Fast ROI through maximum performance:** Faster setup, faster results, higher earnings. Stop wasting time and turn wheel alignment into a highly profitable, effortless add-on service in your daily workshop routine

### Proven Software. Trusted Performance.

- **Stream-to-X:** Access software on any TV, PC, laptop, tablet or smartphone
- **Accelerated Workflow:** High-performance software that speeds up the entire alignment process
- **Intuitive Operation:** User-friendly, guided workflows make it easy for even less experienced technicians to deliver professional results
- **Clear, Professional Reports:** Generate concise, easy-to-understand printouts that enhance customer transparency and trust
- **Connected Reports:** Access PDF reports from anywhere within your network and share them instantly with your customers

## Scope of delivery

- Camera beam with 4 cameras
- Q.Lign display module
- 4x MultiFit wheel clamps incl. wall storage
- 4x targets with AutoID
- Tablet
- Brake lock and steering wheel lock
- Powerbox for power supply
- Key Card for international vehicle specs

*Note: Turntables not included in the scope of delivery.*

## Technical Data

Electrical connection	90-264V   1Ph   47-63Hz
Measuring system	3D mit Messbalken (fixiert)
Packaging unit	1 Palette(n)
Space requirement width	2595 mm
Data transmission type	kabellos
Distance camera - center of turntable	1800 - 3300 mm
Clearance front posts of lift min.	2800 mm
Display size	10 "
Power consumption	45 W
Sensor count	4 Stück
Wheel base	1750 - 4600 mm
Set-up height	2800 mm