



HIGH VOLUME

INFINITY | Center-Post | 400V

Article number: 1692401017

Description

Safe and efficient tyre mounting up to 30"

Center clamping with clamping flange

- High concentricity
- Prevention of scratches/damage to the rim edge
- Uniform clamping force
- Especially suitable for UHP, run-flat, and large rim diameters
- Mechanically height-adjustable for "Reverse Mount"

Robust mounting column and head

- Automatic tilting via pedal
- Fast vertical and horizontal movement of the mounting arm
- Pneumatic locking

Wheel lift included

- Easier lifting and lowering of the wheel
- Reduced strain on operators
- Wheel weight up to 80 kg

TCX.PRO: Entry-level assist tower, fully equipped for handling stiff UHP and run-flat tyres

- Pneumatic bead pressing roller keeps the bead in the drop center
- Pneumatic assist arm presses the bead into the drop center
- Lower bead loosener disc for demounting stiff and wide tyres
- Rim pressing cone for easier external clamping

High-rigidity construction

- Full metal pedals
- Powerful horizontal arm
- Robust metal front cover

Full control with four pedals

- Pedal control for rotation, bead breaker blade, tilt function, and wheel lift
- Removable pedal unit for easier maintenance

Powerful side bead breaker blade

- Fast bead loosening
- Up to 15" tyre width
- Three-way adjustable blade
- Pedal-controlled
- Anti-slip rubber protection

Scope of delivery

- Infinity tyre changer
- Integrated wheel lift

- Pneumatic assist arm TCX.PRO2.5

Technical Data

Electrical connection	3x400 V
Clamping Tower Height	670 mm
Max. wheel diameter	1170 mm
Max. rim diameter	30 "
Min. rim diameter	10 "
Motor power	0,9-1,2 kW
Max. rim width	17 "
Rotation speed	8-16 U/min
Operating pressure	8-10 bar
Set-up width	1260 mm
Set-up length	1850 mm
Set-up height	1950 mm

Accessories

1692402014 Storage kit | for TC22, TC45 and TC47L



1692402166 Extension for drive pin | Center Post



1692402214 Rubber protection | for center clamping



1692402213 Cone | for light trucks



1692402215 Spacer | for light trucks



1692402024 Flange | for reverse-mounting rims and without central hole



1692402003 BeadLock Pro | with extension



1692402036 Roller bed | for TC22, TC45 and TC47L



1692402031 Bead clamp



1692402183 Protection for drive pin extension | Center Post

