

TRUCK BRAKE TESTING Series BD 8xxx BEISSBARTH Version 2025-07-03

Truck Brake Tester BD 8000 | 18t | 1000mm | 8-point scale

Article number: 1 691 810 121



BD 8000: The truck brake tester for the most demanding requirements

Maximum performance, zero compromises: the BD 8000

- For trucks with an axle load of up to 18 tons
- Fully galvanized
- Electromagnetic engine brake
- Quartz-coated premium rollers with a length of 1000 mm

Fully equipped with no compromises

- 8-point scale for measuring axle weight and deceleration
- 2 rotation speeds
- 4x4 automatic all-wheel drive detection
- ASA livestream
- Speed sensor
- 50mm roller elevation for precise and safe testing
- Including ICperform software
- Including ICperform tablet app

Display options: analog, digital or mobile

- Analog: Classic display on analog display
- Digital: Full control with ICperform software on your PC
- Mobile: Measurement values directly on the tablet in the driver's seat

ICperform software - analog is so yesterday

- Clarity at first glance: Intuitive and guick to use
- Targeted control of any axle
- Clear display of axle weight, brake force difference, minimum braking, brake pressure per axle, runout, rolling resistance, etc.
- Print and database function
- Networking with other test devices in the test lane

ICperform via tablet app: Test and control without getting out

- No constant getting in and out
- Measurement values directly from the driver's seat
- Convenient control of the entire test procedure

Modularly expandable at any time

- APS3 wireless pressure sensors: wireless measurement of pressure values in truck or trailer braking systems
- BPF 200 wireless pedal force meter: wireless measurement of pedal pressure for repeatable braking
- MSS 8400 quick-track tester: measures axle play and straightline stability for axle alignment recommendations
- GST8508 and GST8600 joint play testers: quick detection of defects and wear in the wheel suspension

Scope of delivery:

- 2x roller set with weighing function
- Control cabinet incl. ASA livestream
- 15 m cable set
- ICperform software
- ICperform tablet app

Note: a PC is required to operate the ICperform software. This should meet the following minimum requirements: Windows 7 or higher (64 bit) and 2x RS232 serial (COM) interface. The additional use of a tablet requires a PC with ICperform software and a Wi-Fi network with router.

TRUCK BRAKE TESTING Series BD 8xxx

Truck Brake Tester BD 8000 | 18t | 1000mm | 8-point scale | +200mm lifting

Article number: 1 691 810 120



BD 8000: The truck brake tester for the most demanding requirements

Maximum performance, zero compromises: the BD 8000

- For trucks with an axle load of up to 18 tons
- Fully galvanized
- Electromagnetic engine brake
- Quartz-coated premium rollers with a length of 1000 mm

Fully equipped with no compromises

- 8-point scale for measuring axle weight and deceleration
- 2 rotation speeds
- 4x4 automatic all-wheel drive detection
- ASA livestream
- Speed sensor
- 50mm roller elevation for precise and safe testing
- Including ICperform software
- Including ICperform tablet app

Hydraulic load simulation: Testing without stopping

- Lifting device for load simulation with 200 mm stroke
- Eliminates the need for manual lashing with tensioning straps or chains on each individual axle
- Convenient operation from the driver's cab without getting out
- Suitable for trucks, trailers and semi-trailers
- Particularly recommended for empty or light trucks
- Compact integration in the roller housing

Display options: analog, digital or mobile

- Analog: Classic display on analog display
- Digital: Full control with ICperform software on your PC
- Mobile: Measurement values directly on the tablet in the driver's seat

ICperform software - analog is so yesterday

- Clarity at first glance: Intuitive and quick to use
- Targeted control of any axle
- Clear display of axle weight, brake force difference, minimum braking, brake pressure per axle, runout, rolling resistance, etc.
- Print and database function
- Networking with other test devices in the test lane

ICperform via tablet app: Test and control without getting out

- No constant getting in and out
- Measurement values directly from the driver's seat
- Convenient control of the entire test procedure

Modularly expandable at any time

- APS3 wireless pressure sensors: wireless measurement of pressure values in truck or trailer braking systems
- BPF 200 wireless pedal force meter: wireless measurement of pedal pressure for repeatable braking
- MSS 8400 quick-track tester: measures axle play and straightline stability for axle alignment recommendations
- GST8508 and GST8600 joint play testers: quick detection of defects and wear in the wheel suspension

Scope of delivery:

- 2x roller set with weighing function and hydraulic load simulation
- Control cabinet incl. ASA livestream
- 15 m cable set
- ICperform software
- ICperform tablet app

Natar a DC is required to approte the IC norform software. This

TRUCK BRAKE TESTING Series BD 8xxx

Truck Brake Tester BD 8000 | 18t | 1000mm | 8-point scale | +200mm lifting | Spike rollers

Article number: 1 691 810 123



BD 8000: The truck brake tester for the most demanding requirements

Maximum performance, zero compromises: the BD 8000

- For trucks with an axle load of up to 18 tons
- Fully galvanized
- Electromagnetic engine brake
- Spike rollers with a length of 1000 mm

Fully equipped with no compromises

- 8-point scale for measuring axle weight and deceleration
- 2 rotation speeds
- 4x4 automatic all-wheel drive detection
- ASA livestream
- Speed sensor
- 50mm roller elevation for precise and safe testing
- Including ICperform software
- Including ICperform tablet app

Hydraulic load simulation: Testing without stopping

- Lifting device for load simulation with 200 mm stroke
- Eliminates the need for manual lashing with tensioning straps or chains on each individual axle
- Convenient operation from the driver's cab without getting out
- Suitable for trucks, trailers and semi-trailers
- Particularly recommended for empty or light trucks
- Compact integration in the roller housing

Display options: analog, digital or mobile

- Analog: Classic display on analog display
- Digital: Full control with ICperform software on your PC
- Mobile: Measurement values directly on the tablet in the driver's seat

ICperform software - analog is so yesterday

- Clarity at first glance: Intuitive and quick to use
- Targeted control of any axle
- Clear display of axle weight, brake force difference, minimum braking, brake pressure per axle, runout, rolling resistance, etc.
- Print and database function
- Networking with other test devices in the test lane

ICperform via tablet app: Test and control without getting out

- No constant getting in and out
- Measurement values directly from the driver's seat
- Convenient control of the entire test procedure

Modularly expandable at any time

- APS3 wireless pressure sensors: wireless measurement of pressure values in truck or trailer braking systems
- BPF 200 wireless pedal force meter: wireless measurement of pedal pressure for repeatable braking
- MSS 8400 quick-track tester: measures axle play and straightline stability for axle alignment recommendations
- GST8508 and GST8600 joint play testers: quick detection of defects and wear in the wheel suspension

Scope of delivery:

- 2x roller set with weighing function and hydraulic load simulation
- Control cabinet incl. ASA livestream
- 15 m cable set
- ICperform software
- ICperform tablet app

Notes a DC is required to approte the ICharforn aufturers. This

5

TRUCK BRAKE TESTING Series BD 8xxx BEISSBARTH Version 2025-07-03

Truck Brake Tester BD 8000 | 18t | 1000mm | 8-point scale | 5,2km/h

Article number: 1 691 810 122



BD 8000: The truck brake tester for the most demanding requirements

Maximum performance, zero compromises: the BD 8000

- For trucks with an axle load of up to 18 tons
- Fully galvanized
- Electromagnetic engine brake
- Quartz-coated premium rollers with a length of 1000 mm

Fully equipped with no compromises

- 8-point scale for measuring axle weight and deceleration
- 2 rotation speeds
- 4x4 automatic all-wheel drive detection
- ASA livestream
- Speed sensor
- 50mm roller elevation for precise and safe testing
- Including ICperform software
- Including ICperform tablet app

Display options: analog, digital or mobile

- Analog: Classic display on analog display
- Digital: Full control with ICperform software on your PC
- Mobile: Measurement values directly on the tablet in the driver's seat

ICperform software - analog is so yesterday

- Clarity at first glance: Intuitive and guick to use
- Targeted control of any axle
- Clear display of axle weight, brake force difference, minimum braking, brake pressure per axle, runout, rolling resistance, etc.
- Print and database function
- Networking with other test devices in the test lane

ICperform via tablet app: Test and control without getting out

- No constant getting in and out
- Measurement values directly from the driver's seat
- Convenient control of the entire test procedure

Modularly expandable at any time

- APS3 wireless pressure sensors: wireless measurement of pressure values in truck or trailer braking systems
- BPF 200 wireless pedal force meter: wireless measurement of pedal pressure for repeatable braking
- MSS 8400 quick-track tester: measures axle play and straightline stability for axle alignment recommendations
- GST8508 and GST8600 joint play testers: quick detection of defects and wear in the wheel suspension

Scope of delivery:

- 2x roller set with weighing function
- Control cabinet incl. ASA livestream
- 15 m cable set
- ICperform software
- ICperform tablet app

Note: a PC is required to operate the ICperform software. This should meet the following minimum requirements: Windows 7 or higher (64 bit) and 2x RS232 serial (COM) interface. The additional use of a tablet requires a PC with ICperform software and a Wi-Fi network with router.

TRUCK BRAKE TESTING Series BD 8xxx BEISSBARTH Version 2025-07-03

Truck Brake Tester BD 8000 | 18t | 1100mm | 8-point scale

Article number: 1 691 810 125



BD 8000: The truck brake tester for the most demanding requirements

Maximum performance, zero compromises: the BD 8000

- For trucks with an axle load of up to 18 tons
- Fully galvanized
- Electromagnetic engine brake
- Quartz-coated premium rollers with a length of 1100 mm

Fully equipped with no compromises

- 8-point scale for measuring axle weight and deceleration
- 2 rotation speeds
- 4x4 automatic all-wheel drive detection
- ASA livestream
- Speed sensor
- 50mm roller elevation for precise and safe testing
- Including ICperform software
- Including ICperform tablet app

Display options: analog, digital or mobile

- Analog: Classic display on analog display
- Digital: Full control with ICperform software on your PC
- Mobile: Measurement values directly on the tablet in the driver's seat

ICperform software - analog is so yesterday

- Clarity at first glance: Intuitive and guick to use
- Targeted control of any axle
- Clear display of axle weight, brake force difference, minimum braking, brake pressure per axle, runout, rolling resistance, etc.
- Print and database function
- Networking with other test devices in the test lane

ICperform via tablet app: Test and control without getting out

- No constant getting in and out
- Measurement values directly from the driver's seat
- Convenient control of the entire test procedure

Modularly expandable at any time

- APS3 wireless pressure sensors: wireless measurement of pressure values in truck or trailer braking systems
- BPF 200 wireless pedal force meter: wireless measurement of pedal pressure for repeatable braking
- MSS 8400 quick-track tester: measures axle play and straightline stability for axle alignment recommendations
- GST8508 and GST8600 joint play testers: quick detection of defects and wear in the wheel suspension

Scope of delivery:

- 2x roller set with weighing function
- Control cabinet incl. ASA livestream
- 15 m cable set
- ICperform software
- ICperform tablet app

Note: a PC is required to operate the ICperform software. This should meet the following minimum requirements: Windows 7 or higher (64 bit) and 2x RS232 serial (COM) interface. The additional use of a tablet requires a PC with ICperform software and a Wi-Fi network with router.

TRUCK BRAKE TESTING Series BD 8xxx

Truck Brake Tester BD 8000 | 18t | 1100mm | 8-point scale | +200mm lifting

Article number: 1 691 810 124



BD 8000: The truck brake tester for the most demanding requirements

Maximum performance, zero compromises: the BD 8000

- For trucks with an axle load of up to 18 tons
- Fully galvanized
- Electromagnetic engine brake
- Quartz-coated premium rollers with a length of 1100 mm

Fully equipped with no compromises

- 8-point scale for measuring axle weight and deceleration
- 2 rotation speeds
- 4x4 automatic all-wheel drive detection
- ASA livestream
- Speed sensor
- 50mm roller elevation for precise and safe testing
- Including ICperform software
- Including ICperform tablet app

Hydraulic load simulation: Testing without stopping

- Lifting device for load simulation with 200 mm stroke
- Eliminates the need for manual lashing with tensioning straps or chains on each individual axle
- Convenient operation from the driver's cab without getting out
- Suitable for trucks, trailers and semi-trailers
- Particularly recommended for empty or light trucks
- Compact integration in the roller housing

Display options: analog, digital or mobile

- Analog: Classic display on analog display
- Digital: Full control with ICperform software on your PC
- Mobile: Measurement values directly on the tablet in the driver's seat

ICperform software - analog is so yesterday

- Clarity at first glance: Intuitive and quick to use
- Targeted control of any axle
- Clear display of axle weight, brake force difference, minimum braking, brake pressure per axle, runout, rolling resistance, etc.
- Print and database function
- Networking with other test devices in the test lane

ICperform via tablet app: Test and control without getting out

- No constant getting in and out
- Measurement values directly from the driver's seat
- Convenient control of the entire test procedure

Modularly expandable at any time

- APS3 wireless pressure sensors: wireless measurement of pressure values in truck or trailer braking systems
- BPF 200 wireless pedal force meter: wireless measurement of pedal pressure for repeatable braking
- MSS 8400 quick-track tester: measures axle play and straightline stability for axle alignment recommendations
- GST8508 and GST8600 joint play testers: quick detection of defects and wear in the wheel suspension

Scope of delivery:

- 2x roller set with weighing function and hydraulic load simulation
- Control cabinet incl. ASA livestream
- 15 m cable set
- ICperform software
- ICperform tablet app

Natar a DC is required to approte the IC norform software. This

TRUCK BRAKE TESTING

BEISSBARTH Version 2025-07-03

Series BD 8xxx



Truck Brake Tester BD 8000 | 18t | 1000mm | 8-point scale

Article number: 1 691 810 121



Truck Brake Tester BD 8000 | 18t | 1000mm | 8-point scale | +200mm lifting

Article number: 1 691 810 120



Truck Brake Tester BD 8000 | 18t | 1000mm | 8-point scale | +200mm lifting | Spike rollers

Article number: 1 691 810 123



Truck Brake Tester BD 8000 | 18t | 1000mm | 8-point scale | 5,2km/h

Article number: 1 691 810 122



Truck Brake Tester BD 8000 | 18t | 1100mm | 8-point scale

Article number: 1 691 810 125



Truck Brake Tester BD 8000 | 18t | 1100mm | 8-point scale | +200mm lifting

Article number: 1 691 810 124

IMPORTANT NOTES

- Please notice: This list contains spare parts, too.
- Without instruction or assembly.
- Delivery ex works including packaging.

VERSION 2025.07.03 – PRICES ON REQUEST

- Starting from now all previous lists will lose their validity.
- Please read our general terms and conditions in the latest version before ordering; to be found under www.beissbarth.com.

Beissbarth Automotive Testing Solutions GmbH

Friedrichshafener Str. 602 82205 Gilching, Germany sales@beissbarth.com www.beissbarth.com

Telefon: +49-(0)89-14901-0 Telefax: +49-(0)89-14901-246

Order number 1 693 602 008 Print norm BB XXX / XX.XX.2020 DE · Subject to technical and program changes, errors excepted.

