



## TYRE CHANGERS

# Passenger car tyre changer VAS 741 047 | for VOLKSWAGEN

Suitable for workshops with high order volumes | Rim diameter inches 13 - 30" | Leverless mounting/demounting tool | incl. assistance column Tecnoroller NG, bead breaker, single-lever central voltage, side storage and Side Lift NG

Article number: 1 694 200 981

## Description

- Traditional machine design for quick training coupled with all the features and comfort for a safe and effortless tyre change.
  - The Ergo Control bead breaker, which is easy to operate with one hand, and the Side Lift NG always allow you to work in an ergonomic and safe position.
  - Special electronics automatically provide higher torque and smooth start-up.
  - In addition, the leverless assembly head TLL enables a simple, fast and controlled process, even when used with UHP / run flat tyres.
- 
- Tecnoroller NG assistance column with separately controllable auxiliary arms
  - Ergo Control bead breaker - without pedal, only fine and powerful controllable by hand, recoilless
  - Mounting column in "oversized" design (140 x 140 mm)
  - Ultra-quick wheel clamping system
  - Adjustable tyre paste holder
  - Automatic wheel release vertical and horizontal

### Scope of delivery:

- Passenger car tyre changer VAS 741 047
- Assistance pillar Tecnoroller 2 NG with double horizontal arm, for even more support
- Ergo Control bead breaker
- Side Lift NG, directly at the bead breaker
- Tyre filling system
- Plastic protection for mounting head
- Plastic protection for bead breaker
- Bead depressor plate
- Central locking Protection
- Cone protection central voltage
- Bolt protection central voltage
- Cone Ø 70 mm
- Storage ring for horizontal arm

## Technical Data

Max. wheel diameter	1200 mm
Bead breaking range	75 - 401 mm
Bead breaker force	11 kN
Compressed air connection	8 - 10 bar
Weight	450 kg
Max. rim width	15 "
Rim diameter max.	30 "
Depth	1950 mm
Height	2300 mm
Power supply	230 V   50 Hz   1 ph
Width	2100 mm
Rim diameter min.	13 "
Rotation speed	7 - 15 rpm
Number of mounting speeds	2

## Accessories

1 695 106 589	Protective cover for leverless mounting tool   left   5 pcs.   for MS 650S V8, MS 670S V8
1 695 100 083	Protective cover for mounting tool   5 pcs.   for MS 630 S V8, MS 650 S V8, MS 670 S
1 695 105 589	Protective cover for mounting tool   for MS 5x0 S, MS 63 S, MS 630 S, MS 650 S before MD 05/2016
1 695 107 027	Plastic demounting lever
1 695 107 444	Rubber protection for centre locking   for MS 670 S and MS 900
1 695 108 120	Protection kit for clamping cone   for MS 670 S and MS 900
1 695 107 441	Cone for steel rims   Ø 75 - 120 mm   for MS 670 S and MS 900
1 695 000 289	Cone Ø 70 mm   for MS 670 S and MS 900
1 695 107 440	Cone Light Truck   Ø 75 - 145 mm   for MS 670 S and MS 900
1 695 108 136	Cone Light Truck   Ø 120 - 190 mm   incl. spacer   for MS 670 S and MS 900
1 695 107 442	Cone Light Truck   Ø 190 - 223 mm   incl. spacer   for MS 670 S and MS 900
1 695 108 195	Cone set Light Truck   Ø 120 - 190 mm / 190 - 223 mm   incl. spacer   for MS 670 S and MS 900
1 695 108 140	Cone for BMW   for MS 670 S and MS 900
1 695 108 139	Cone for Porsche   for MS 670 S and MS 900
1 695 108 138	Cone for Lamborghini   for MS 670 S and MS 900
1 695 000 323	Flange kit BMW OE spec.   for MS 670 S and MS 900
1 695 108 196	Wheel clamping adaptor kit for clad wheels   for MS 670 S and MS 900
1 695 106 152	Shovel protection for bead breaker   for MS 5x0 S, MS 630 S, MS 650 S
1 695 103 261	Bead pressing device thin
1 695 103 216	Bead pressing device thick
1 695 042 877	Inflation gun Eurodainu Michelin
1 695 106 190	Roller board   for MS 63 S, MS 5x0 S, MS 6x0 S
1 695 103 302	Rim clamp with spacer
1 695 102 584	Tool storage kit   for MS 5x0 S, MS 6x0 S
1 695 105 191	Plastic rim protection