



TYRE CHANGERS

Bike tyre changer MS 500 Bike | BMW | 400/3/50

Bike tyre changer with automatic tilt-back post | Clamping range 7 - 23" | Bikes and scooters

Article number: 1 694 200 930

Description

- Special rim clamp design suitable for all BMW tyres
- Automatic tilt-back pole
- Plastic mounting head better rim protection
- Integrated bead breaker for tyre widths of up to 300mm

Scope of delivery:

- MS 500 Bike BMW
- Adapter for bikes and scooters
- Plastic protection for bead breaker
- Plastic protection for mounting head
- Tyre lever
- Tyre inflator

Technical Data

Outer clamping range	7 - 23 "
Max. wheel diameter	1000 mm
Bead breaking range	65 - 300 mm
Bead breaker force	11 kN
Compressed air connection	8 - 10 bar
Weight	241 kg
Wheel width max.	10 "
Depth	1450 mm
Height	1680 mm
Power supply	400 V 50 Hz
Width	1760 mm
Rotation speed	7,5 rpm
Phases	3

Accessories

1 695 106 190	Roller board for MS 63 S, MS 5x0 S, MS 6x0 S
1 695 103 210	Mounting head kit for motorbikes for MS 5x0 S and MS 6x0 S
1 695 103 543	Motorbike adaptors for MS 500S and MS 63S 14-25" 4 pcs.
1 695 103 542	Scooter adapters for MS 500S und MS 63S 4 pcs.
1 695 101 518	Bead breaking spacer for motorbike wheels for MS 5x0 S, MS 63 S, MS 630 S, MS 650 S
1 695 108 639	Pro-Bead breaking spacer motorbike and electro vehicle wheels for MS 5x0 S, MS 6x0 S
1 695 102 725	Protective cover for mounting tool left for MS 5x0 S, MS 63 S, MS 630 S, MS 650 S
1 695 101 608	Protective cover for mounting tool 5 pcs. for MS 5x0 S, MS 63 S,

MS 630 S, MS 650 S

1 695 106 152	Shovel protection for bead breaker for MS 5x0 S, MS 630 S, MS 650 S
1 695 101 402	Jaws plastic protection 4 pcs. for MS 500 S and MS 63 S
1 695 104 741	Plastic tool protection set for MS 5x0 S, MS 630 S, MS 650 S
1 695 103 302	Rim clamp with spacer
1 695 108 913	Blast Inflating System for MS5xx S, MS63 S, and MS6xx S
1 695 102 584	Tool storage kit for MS 5x0 S, MS 6x0 S
1 695 105 191	Plastic rim protection
1 695 108 668	WDK mounting lever
1 695 107 490	Memory ring for Tecnoroller NG
1 695 108 055	Pressing cone for outer clamping