



SERIES BD 4XXX - PC READY

Car brake tester BD 4131 S10

Maximum test weight/axle 2.5 t, Test Speed 5.2 km/h, Speed sensors | without Analog display, flexible solution via customer PC (PC Kit is needed) | elektromagnetic brake, 4x4, Roller width 700 mm | Extension possibility to test lanes | New! Power-Box inclusive! | 230 V / 50 Hz

Article number: 1 691 600 646

Description

New! Power-Box for the BD car series

BD car brake testers comply with the guideline and are thus suitable for general vehicle inspections. At the same time, there are modular auxiliaries for diagnoses as well as repair and service tasks at the workshop. Absolutely in line with specific customer requirements, the brake tester can be expanded and turned into a test lane for suspension testing and side slip testing. Operation, visualization and evaluation of the test results are made by means of an analogue display or via PC.

Just use the workshop computer

- The new kits allow additional connectivity options for the BD series. The integrated PC kit is designed for its installation inside the new Power-Box and allows direct linkage to the workshop PC.

More service, more customers

In order to ease and speed up the brake service, the BD car series and the new Bosch Power-Box can be complemented by powerful accessories:

- Column for the Power-Box
- PC trolley
- LCD display set for the display unit
- Professional IR PC kits (integrated or external)
- Pedal-force sensor (wireless version)
- Roller covers
- IR remote control

Access to multiple functions by means of a linked workshop PC

- Visualization of test procedures and results via screen
- Job processing, customer database, statistic evaluation or print and archiving functions can be used to full extent
- Test protocols are printed automatically
- Quick extension and conversion into a test lane is possible
- Analogue display is not required

Power-Box for the BD car series

- Compact, robust and service-friendly
- All electronics are compact and safely stowed
- Easily accessible on the wall or on column
- All electronic components are safely stored within a light-weight and easily accessible housing
- 230 V socket for the laptop of the service-technician or tester
- Easily accessible main switch with emergency shutdown
- Integrated door pocket for the technical documentation
- Wall mount (series version) or column (optional)

Four possibilities for PC connections

To operate with PC, one of the following kits is needed

- Integrated ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 964
- External ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 965
- Integrated ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 963

- External Icperform PC-Kit with Remote Control (incl. Icperform Software license), part No. 1 691 601 966

Technical Data

| | |
|--|-----------|
| Max. wheel diameter | 1000 mm |
| Weight | 443 kg |
| Max. rim diameter | 32 " |
| Protection class | IP 54 |
| Length | 660 mm |
| Height | 250 mm |
| Measuring system | DMS |
| Width | 2360 mm |
| Test speed | 5,2 km/h |
| Coefficient of friction dry/wet | 0,8 / 0,7 |
| Roller length | 700 mm |
| Roller elevation | 25 mm |
| Min. rim diameter | 10 " |
| Max. axle weight | 2,5 t |
| Roller diameter | 205 mm |
| Min. test width | 800 mm |
| Max. test width | 2200 mm |
| Packaging length | 2420 mm |
| Packaging width | 820 mm |
| Packaging height | 700 m |
| Gross weight | 473 kg |
| Min. wheel diameter | 320 mm |
| Roller axle distance | 381 mm |
| Max. drive-over load | 4,0 t |
| Height difference upper edge of roller to workshop floor | -10 mm |

Accessories

| | |
|---------------|--|
| 1 691 601 964 | Integrated Icperform PC Kit with ICperform Software License and Tablet App License |
| 1 691 601 965 | External Icperform PC Kit with Icperform Software License and Tablet App License |
| 1 691 601 963 | Integrated Icperform PC kit - IR with IR remote control and ICperform Software License |
| 1 691 601 966 | External Icperform PC kit with IR remote control and Icperform |

| | Software License |
|---------------|---|
| 1 691 701 018 | Remote control |
| 1 693 770 001 | IR receiver |
| 1 691 603 000 | Extension cable for receiver 10 m |
| 1 691 701 311 | Remote control and IR Receiver |
| 1 691 810 703 | Testlane PC with a serial interface |
| 1 691 811 250 | PC cabinet Standard empty |
| 1 691 810 743 | PC gear pack for PC cabinet Standard |
| 1 693 740 884 | Monitor holder 17 - 27 " |
| 1 693 740 911 | Monitor holder 22 - 35 " |
| 1 691 601 771 | Display RAL 7040 analog, oval swivel arm, IR receiver |
| 1 691 601 762 | Display RAL 7016 analog, rectangular LCD, swivel arm, IR receiver |
| 1 691 601 768 | Display RAL 7040 analog, rectangular LCD, swivel arm, IR receiver |
| 1 691 601 776 | Display RAL 7040 analog, rectangular swivel arm, IR receiver |
| 1 691 810 722 | Stand column aluminium RAL 7016 for TV Monitor / rectangular analog display |
| 1 691 600 470 | Stand column RAL 7040 for TV Monitor / oval analog display |
| 1 691 812 324 | TV Adapter for stand column |
| 1 691 812 325 | TV adapter for stand column / swivel arm |
| 1 691 601 959 | Swivel arm for TV adapter |
| 1 691 601 435 | Stand column for Power-Box |
| 1 691 602 000 | Edge protection for car brake tester BD 4xxx, 700 mm |
| 1 691 602 115 | Installation frame for car brake tester BD 4xxx, 700 mm |
| 1 691 601 011 | Drive-over plate swiveling 700 mm |
| 1 691 601 010 | Drive-over plate pluggable 700 mm |
| 1 691 601 606 | Axle load scale 4 sensors |
| 1 691 601 009 | Support strips for axle load scales 2 pcs |
| 1 691 601 401 | Pedal force wireless |
| 1 691 601 437 | Smooth start 400 V |
| 1 691 601 444 | Cablesset 400 V Power-Box to roller set 30 m |
| 1 691 650 001 | Joint play detector GST 651 230 V |
| 1 691 650 000 | Joint play detector GST 651 400 V |
| 1 691 601 392 | Digital calibration kit for brake tester |
| 1 691 651 001 | Installation frame for play detector GST 651 |
| 1 691 600 015 | Lifting and lowering device HUS 104 for BD 4xxx and QB.4 brake tester 700mm |