

Dialogannahme

WHEEL ALIGNMENT

Version 2025.12.09 – Prices on request

Vehicle database update CCD/Easy3D | Key Card

Article number: 1 690 002 023



- Access to the newest vehicles specs directly from the OEM
- Authorises the licensing of all IAM vehicle databases for the calendar year in which the Key Card has been activated

Scope of delivery:

- 1x Key Card with access code for online download

Important. Only compatible with Windows-based wheel aligners!
Not compatible with Q.Lign!

Activate on beissbarth.com/keycard

Vehicle database update Cars & Vans Europe | Online Download

Article number: 1 690 008 100



[Data/licenses](#) [Key codes](#) [My profile](#) [Admin Center](#) [Document Center](#) [About us](#)

Data/licenses

We need the serial number of your device for the **licensing** and for determining the available software.

The serial number can be found on the rating plate.

The serial number consists of a two-digit product identification and a seven-digit device number.

Product identification*

Device number*

Mandatory fields are marked with *.

Send

Skip

- Online download on base-licensecenter.com

Software upgrade Easy CCD

Article number: 1 690 320 131



- DAS calibration jig orientation
- Highly automated SmartTest for direct reception lanes
- New intuitive user interface

Scope of delivery:

- Easy CCD Software
- Dongle

PC Upgrade 8R Tech+ to EasyCCD+ | pre-installed Windows 10 PC

Scope of delivery: Pre-installed Windows 10 PC EasyCCD+ program with ADAS feature Europe vehicle database Only for existing ML 8R Tech+ wheel aligners with CF, CX, or LD Dongle

Article number: 1 690 311 216



Scope of delivery:

- Pre-installed Windows 10 PC
- EasyCCD+ program with ADAS feature
- Europe vehicle database

Only for existing ML 8R Tech+ wheel aligners with CF, CX, or LD Dongle

Windows 10 PC Upgrade | pre-installed | for CCD, 3D and Touchless

Article number: 1 690 101 025



Mechanical turntable | Steel | with Nonius

370 x 350 x 42mm, max. load: 800kg, turnplate diameter: 308mm Matching filling pieces: 1690702157

Article number: 1 690 311 002



Filling piece | for steel turntable 1690311002


1x Filling piece, required quantity: 2

Article number: 1 690 702 157



Mechanical aluminum turntable Standard

Article number: 1 690 501 001



- Very high quality and lifetime in workshop environment

Scope of delivery:

- 1 x Mechanical turntable Standard

Mechanical aluminum turntable Precision

Article number: 1 690 401 028




- Very high quality and lifetime in workshop environment
- Steel balls for minimal friction and maximum precision

Scope of delivery:

- 1 x Mechanical precision turntable

Electronic aluminum turntable without connecting cable | Standard

Article number: 1 690 401 011



- Enables full steering lock on CCD and Touchless aligner
- Very high quality and lifetime in workshop environment
- Standard turntable without connecting cable

Scope of delivery:

- 1 x Electronic standard turntable

Electronic aluminum turntable without connecting cable | Precision

Article number: 1 690 401 013



- Enables full steering lock on CCD and Touchless aligner
- Very high quality and lifetime in workshop environment
- Precision turntable without connecting cable
- Steel balls for minimal friction and maximum precision

Scope of delivery:

- 1 x Electronic precision turntable

Connecting cable for electronic turntables

Article number: 1 690 403 001



- Connecting cable between electronic turntables and sensor head
- Enables full steering lock on CCD and Touchless aligner

Scope of delivery:

- 1 x Connecting cable

Filling piece for aluminum precision turntable

1x Precision filling piece for one precision turntable. Required quantity per turntable: 2

Article number: 1 690 102 041



1x Precision filling piece for one precision turntable. Required quantity per turntable: 2

Protective rubber cover for aluminum turntable

Article number: 1 690 402 001



- Additional protection from dirt and liquids


Scope of delivery:

- 1 x Protective cover

Sliding plate for rear axle | short

Short sliding plate for rear axle, 450 mm

Article number: 1 690 401 003



- +/- 10° rotating range

Scope of delivery:

- 1 x Sliding plate short

Dimensions (LxWxH): 450mm x 450mm x 50mm


Width of driving surface: 300mm

Length with drive-on and drive-off ramps 1690401008 (optional): 852mm

Sliding plate for rear axle | long

Long sliding plate for rear axle, 1050 mm

Article number: 1 690 401 004



- +/-2.5° rotating range

Scope of delivery:

- 1 x Sliding plate long


Dimensions (LxWxH): 1050mm x 460mm x 50mm

Width of driving surface: 300mm

Length with drive-on and drive-off ramps 1690401008 (optional): 1453mm

Drive-on ramps for two aluminum turntables

Article number: 1 690 701 052




- Drive-on ramps for turntables including connecting piece and drive off protection
- Enables rolling compensation on lifts without embedded turntables

Scope of delivery:

- Set with 2 x drive-on ramps

Drive-on ramps for turntables and sliding plates

Article number: 1 690 401 008



- Set of Drive-on ramps for turntables and sliding plates
- Suitable for lifts without cutouts for turntables or sliding plates, e.g. MOT lifts

Scope of delivery:

- Set with 2 x drive-on ramps

ProClamp wheel clamp | 13 - 23" | 1 pc

Wheel Clamp with rim friendly distance bolts to avoid metal-to-metal contact

Article number: 1 690 100 001



- Rim clamping range: 12 - 23"
- Wheel clamping range: 490 - 884mm

Scope of delivery:

- 1 x ProClamp wheel clamp

Distance bolt 70mm (1x) | for ProClamp 1690100001

3x required per clamp

Article number: 1 690 102 200



Multi-Fit wheel clamp with standard claws | 13 - 22" | 4 pcs.

Article number: 1 690 311 112



- High quality claws for gentle attachment to rims
- Torque control for strong hold without deforming the rim

Scope of delivery:

- 4 x Multi-fit clamps
- 16 x Standard claws

Multi-Fit wheel clamp with standard claws | 13 - 22" | 1pc.

Article number: 1 690 311 089



- High quality claws for gentle attachment to rims
- Torque control for strong hold without deforming the rim

Scope of delivery:

- 1 x Multi-fit clamp
- 4 x Standard claws

Extension set for Multi-fit clamps | 23 - 28"

Article number: 1 690 311 113



Scope of delivery:

- 4 x Extensions

Set softline claws for 1 x Multi-fit clamp | Softline rims

Article number: 1 690 311 164



Scope of delivery:

- 4 x Special claws for softline rims

Set truck claws for 1 x Multi-fit clamp | Truck

Article number: 1 690 311 115



For convex wheels mounted to a double-bearing hub and dually wheels.

Length: 10cm


Scope of delivery:

- 4 x Truck claws for 1 Multi-Fit Clamp

Self-centering quick clamp | for Lamborghini

Quick clamping device for Lamborghini vehicles with center wheel bolt

Article number: 8 900 380 016



- Attaches to the center bolt of the rim
- Quick and secure mounting on the vehicle
- Reduces clamping errors

Scope of delivery:

- 4 x center bolt clamp

Spoiler adapter 50 mm

Article number: 1 690 401 005




Scope of delivery:

- 1 x Spoiler adapter

Spoiler adapter 50 mm | Precision

Spoiler adapter for CCD wheel aligners | with spirit level

Article number: 1 690 401 014



Scope of delivery:

- 1 x Spoiler adapter precision, 50 mm, with spirit level

Spoiler adapter 100 mm

Article number: 1 690 121 001



Scope of delivery:

- 1 x Spoiler adapter

Precision spoiler adapter Porsche

For alignment of vehicles that have been modified or equipped with sport packages

Article number: 1 690 301 004



- Possible adjustment from 85 - 165 mm
- For use in combination with VAG 1813, VAG 1995 and VAS 6141

Scope of delivery:

- 4 x Precision spoiler adapter with spirit level
- 4 x Clamping bolts
- 4 x Mounting pins
- Suitcase for secure transport and storage

Wallboard for sensor heads

Only Easy CCD+ Kit version

Article number: 1 690 311 146



- Space saving solution for charging sensor heads on the wall
- Frees up space in the workshop and safely stores sensor heads when not in use

Scope of delivery:

- 2 x Wall board

Cable set

Article number: 1 690 401 012



- Emergency cable for power and data transmission of the sensor heads

Scope of delivery:

- 4 x Connecting cables

Brake pedal depressor

Article number: 1 690 401 006



Steering wheel holder

Article number: 1 690 401 007



Calibration device for CCD

Calibration device for CCD sensor heads in the field

Article number: 1 690 401 066



Scope of delivery:

- 1 x Calibration device

Ballast bag 5 kg

Used for vehicles that require loading to a specific ride height in order to perform alignment

Article number: 1 693 740 001



Scope of delivery:

- 1 x Ballast bag, 5 kg

Ballast bag 20 kg

Used for vehicles that require loading to a specific ride height in order to perform alignment

Article number: 1 693 740 003



Scope of delivery:

- 1 x Ballast bag, 20 kg

Romess inclinometer with standard adapter | 230V

For measuring the level of Mercedes-Benz vehicles on the front and rear axle

Article number: 1 693 770 002



For measuring the level of Mercedes-Benz vehicles on the front and rear axle

- Measuring range: $\pm 15^\circ$ with accuracy of $\pm 0.1^\circ$
- Interface: RS-232, USB
- Data transfer: manual (automatic data transfer requires the Romess data transfer and charging unit 1693770003)

The included standard adapter plate is only required for types 170, 202, 208 and 210.

Scope of delivery:

- Inclinometer with display
- Standard adapter plate (1693770160)
- Transportation case
- Power supply

Original part: Romess 09606-10

Romess data transfer and charging unit | 230V

Accessory for Romess inclinometer 1693770002.

Article number: 1 693 770 003



Accessory for Romess inclinometer 1693770002.

Charges inclinometer when inserted into charging station.
Automatic data transfer between Romess inclinometer and wheel aligner.

Automatic data transfer only on wheel aligners EasyCCD, Easy3D+ and Touchless.


Scope of delivery:

- Data transfer and charging unit
- Power supply
- Connecting cable 9-pin for RS-232

Original part: Romess 09630-10

Romess adapter set for Vaneo type W414

Article number: 1 693 770 004




- Accessory for Romess Inclinator 1693770002

Original part: Romess 09606-62

Replacement standard adapter for Romess inclinometer

Article number: 1 693 770 160



- For types: 170, 202, 208, 210
- Not required for types 168, 220 and all newer types

Original part: Romess 09606-50

Romess steering wheel level gauge with Bluetooth | 230V

Steering level gauge with electronic inclinometer for checking the steering level position during the wheel alignment.

Article number: 1 693 770 619

Steering level gauge with electronic inclinometer for checking the steering level position during the wheel alignment. Save valuable time for every alignment as the steering level position is permanently monitored, especially when the vehicle is raised on the lift. Prevents crooked steering wheels and time-consuming comebacks.

Completely wireless and powered with integrated Li-Ion batteries. Alternatively, the USB used for charging the device can also be used for the data transmission.

- Measuring range: +/- 30° with accuracy of +/- 0,1°
- Max. Steering level position: 15°
- Operating time: 20 hrs
- Charging time: 4 hrs

Scope of delivery:

- Steering level gauge with Bluetooth connection
- Power supply
- Transportation case
- Bluetooth stick for Windows-PC

Original part: Romess 20090-S-BT

USB Remote control | for EasyCCD, Easy3D+ and Touchless

Remote control with USB receiver. For EasyCCD, Easy3D+ and Touchless. Requires software update of the aligner program. Powered by 2x AAA batteries.


Article number: 1 693 770 586



Set of Drive-on ramps | for RaceScales

4x drive-on ramps, e.g. RaceScales on lifts without turntable recess.

Article number: 1 692 000 221



- Set of Drive-on ramps for turntables and sliding plates
- Suitable for lifts without cutouts for turntables or sliding plates, e.g. MOT lifts
- Made from recycled rubber granulate
- Withstands snow, water, salt, oil under normal workshop conditions
- Temperature stable between -30°C to 80°C
- Produced free from pollutants according to REACH

Dimensions:

- Height: 50mm
- Width: 495mm
- Length: 500mm
- Length rolling surface: 200mm
- Length slope: 300mm
- Slope: 8°

Scope of delivery:

- Set of 4x drive-on ramps

Easy CCD - Accessories



Vehicle database update CCD/Easy3D | Key Card

Article number: 1 690 002 023



Vehicle database update Cars & Vans Europe | Online Download

Article number: 1 690 008 100



Software upgrade Easy CCD

Article number: 1 690 320 131



PC Upgrade 8R Tech+ to EasyCCD+ | pre-installed Windows 10 PC

Article number: 1 690 311 216



Windows 10 PC Upgrade | pre-installed | for CCD, 3D and Touchless

Article number: 1 690 101 025




Mechanical turntable | Steel | with Nonius

Article number: 1 690 311 002




Filling piece | for steel turntable 1690311002

Article number: 1 690 702 157




Mechanical aluminum turntable Standard

Article number: 1 690 501 001




Mechanical aluminum turntable Precision

Article number: 1 690 401 028



Electronic aluminum turntable without connecting cable | Standard

Article number: 1 690 401 011



Electronic aluminum turntable without connecting cable | Precision

Article number: 1 690 401 013



Connecting cable for electronic turntables

Article number: 1 690 403 001




Filling piece for aluminum precision turntable

Article number: 1 690 102 041




Protective rubber cover for aluminum turntable

Article number: 1 690 402 001



Sliding plate for rear axle | short

Article number: 1 690 401 003




Sliding plate for rear axle | long

Article number: 1 690 401 004



Drive-on ramps for two aluminum turntables

Article number: 1 690 701 052



Drive-on ramps for turntables and sliding plates

Article number: 1 690 401 008



ProClamp wheel clamp | 13 - 23" | 1 pc

Article number: 1 690 100 001



Distance bolt 70mm (1x) | for ProClamp 1690100001

Article number: 1 690 102 200



Multi-Fit wheel clamp with standard claws | 13 - 22" | 4 pcs.

Article number: 1 690 311 112



Multi-Fit wheel clamp with standard claws | 13 - 22" | 1pc.

Article number: 1 690 311 089



Extension set for Multi-fit clamps | 23 - 28"

Article number: 1 690 311 113



Set softline claws for 1 x Multi-fit clamp | Softline rims

Article number: 1 690 311 164



Set truck claws for 1 x Multi-fit clamp | Truck

Article number: 1 690 311 115



Self-centering quick clamp | for Lamborghini

Article number: 8 900 380 016



Spoiler adapter 50 mm

Article number: 1 690 401 005



Spoiler adapter 50 mm | Precision

Article number: 1 690 401 014



Spoiler adapter 100 mm

Article number: 1 690 121 001



Precision spoiler adapter Porsche

Article number: 1 690 301 004



Wallboard for sensor heads

Article number: 1 690 311 146



Cable set

Article number: 1 690 401 012



Brake pedal depressor

Article number: 1 690 401 006



Steering wheel holder

Article number: 1 690 401 007



Calibration device for CCD

Article number: 1 690 401 066



Ballast bag 5 kg

Article number: 1 693 740 001



Ballast bag 20 kg

Article number: 1 693 740 003



Romess inclinometer with standard adapter | 230V

Article number: 1 693 770 002



Romess data transfer and charging unit | 230V

Article number: 1 693 770 003



Romess adapter set for Vaneo type W414

Article number: 1 693 770 004



Replacement standard adapter | for Romess inclinometer

Article number: 1 693 770 160

Romess steering wheel level gauge with Bluetooth | 230V

Article number: 1 693 770 619



USB Remote control | for EasyCCD, Easy3D+ and Touchless

Article number: 1 693 770 586



Set of Drive-on ramps | for RaceScales

Article number: 1 692 000 221

IMPORTANT NOTES

- Please notice: This list contains spare parts, too.
- Without instruction or assembly.
- Delivery ex works including packaging.

VERSION 2025.12.09 – PRICES ON REQUEST

- Starting from now all previous lists will lose their validity.
- Please read our general terms and conditions in the latest version before ordering; to be found under www.beissbarth.com.

Beissbarth Automotive Testing Solutions GmbH

Friedrichshafener Str. 602
82205 Gilching, Germany
sales@beissbarth.com
www.beissbarth.com

Telefon: +49-(0)89-14901-0
Telefax: +49-(0)89-14901-246

Order number 1 693 602 008 **Print norm** BB XXX / XX.XX.2020 DE · Subject to technical and program changes, errors excepted.

