

Dialogannahme

WHEEL ALIGNMENT

Version 2025.12.09 – Prices on request

Vehicle database update CCD/Easy3D | Key Card

Article number: 1 690 002 023



- Access to the newest vehicles specs directly from the OEM
- Authorises the licensing of all IAM vehicle databases for the calendar year in which the Key Card has been activated

Scope of delivery:

- 1x Key Card with access code for online download

Important. Only compatible with Windows-based wheel aligners!
Not compatible with Q.Lign!

Activate on beissbarth.com/keycard

Vehicle database update Cars & Vans Europe | Online Download

Article number: 1 690 008 100



[Data/licenses](#) [Key codes](#) [My profile](#) [Admin Center](#) [Document Center](#) [About us](#)

Data/licenses

We need the serial number of your device for the **licensing** and for determining the available software.

The serial number can be found on the rating plate.

The serial number consists of a two-digit product identification and a seven-digit device number.

Product identification*

Device number*

Mandatory fields are marked with *.

Send

Skip

- Online download on base-licensecenter.com

Software Upgrade Easy3D to Easy 3D+ | Key Card

Article number: 1 690 701 252



Upgrade or switch to the Beissbarth Plus-Software from an older 3D wheel aligner!

Scope of delivery:

- 1x Key Card Easy3D+ program with ADAS feature

Only for Easy3D wheel alignment systems with product codes: QX, QY, QZ Only for FWA 46xx wheel alignment systems with product codes: LX, LZ Requires Windows 10 or higher

PC Upgrade Easy3D to Easy3D+ | pre-installed Windows 10 PC

Article number: 1 690 701 258



Scope of delivery:

- Pre-installed Windows 10 PC
- Easy3D+ program with ADAS feature
- Europe vehicle database

Only for existing Easy3D wheel aligners with QZ Dongle

Mechanical turntable | Steel | with Nonius

370 x 350 x 42mm, max. load: 800kg, turnplate diameter: 308mm Matching filling pieces: 1690702157

Article number: 1 690 311 002



Filling piece | for steel turntable 1690311002

1x Filling piece, required quantity: 2

Article number: 1 690 702 157




Windows 10 PC Upgrade | pre-installed | for CCD, 3D and Touchless

Article number: 1 690 101 025



Mechanical aluminum turntable Standard

Article number: 1 690 501 001



- Very high quality and lifetime in workshop environment

Scope of delivery:

- 1 x Mechanical turntable Standard

Mechanical aluminum turntable Precision

Article number: 1 690 401 028



- Very high quality and lifetime in workshop environment
- Steel balls for minimal friction and maximum precision

Scope of delivery:

- 1 x Mechanical precision turntable

Filling piece for aluminum precision turntable

1x Precision filling piece for one precision turntable. Required quantity per turntable: 2

Article number: 1 690 102 041



1x Precision filling piece for one precision turntable. Required quantity per turntable: 2

Protective rubber cover for aluminum turntable

Article number: 1 690 402 001



- Additional protection from dirt and liquids


Scope of delivery:

- 1 x Protective cover

Sliding plate for rear axle | short

Short sliding plate for rear axle, 450 mm

Article number: 1 690 401 003



- +/- 10° rotating range

Scope of delivery:

- 1 x Sliding plate short

Dimensions (LxWxH): 450mm x 450mm x 50mm


Width of driving surface: 300mm

Length with drive-on and drive-off ramps 1690401008 (optional): 852mm

Sliding plate for rear axle | long

Long sliding plate for rear axle, 1050 mm

Article number: 1 690 401 004



- +/-2.5° rotating range

Scope of delivery:

- 1 x Sliding plate long


Dimensions (LxWxH): 1050mm x 460mm x 50mm

Width of driving surface: 300mm

Length with drive-on and drive-off ramps 1690401008 (optional): 1453mm

Drive-on ramps for two aluminum turntables

Article number: 1 690 701 052




- Drive-on ramps for turntables including connecting piece and drive off protection
- Enables rolling compensation on lifts without embedded turntables

Scope of delivery:

- Set with 2 x drive-on ramps

Drive-on ramps for turntables and sliding plates

Article number: 1 690 401 008



- Set of Drive-on ramps for turntables and sliding plates
- Suitable for lifts without cutouts for turntables or sliding plates, e.g. MOT lifts


Scope of delivery:

- Set with 2 x drive-on ramps

Lift adapter two positions

For attachment of Easy 3D sensor heads on above and in-ground lifts

Article number: 1 690 701 231




- Also adapted for FWA 4630

Scope of delivery:

- 2 x Lift adapter

Lift adapter one position

Article number: 1 690 701 232




- For attachment of Easy 3D sensor heads on above and in-ground lifts
- One position for sensor heads

Scope of delivery:

- 2 x Lift adapter

Lift adapter extension from one to two positions

Article number: 1 690 701 503



- Extends lift adapter with one position (1690701232) to two positions (1690701231)

Scope of delivery:

- 2 x Extension kit

Special lift adapter for Beissbarth / Consul

For Beissbarth lifts VLH 4245, VLH 4345 and Consul 4-post lifts

Article number: 1 690 701 123



- For attachment of Easy 3D sensor heads on Beissbarth lifts VLH 4245, VLH 4345 and Consul 4-post lifts
- Two positions for sensor heads

Scope of delivery:

- 2 x Lift adapter

Special lift adapter Extension for Beissbarth / Consul

For Beissbarth lifts VLH 4245, VLH 4345 and Consul 4-post lifts

Article number: 1 690 701 311




- Extension of two-position adapter 1690701231 for attachment of Easy 3D sensor head on Beissbarth lifts VLH 4245, VLH 4345, and Consul 4-post lifts
- Two positions for sensor heads
- Use only as extension for two-position adapter 1690701231

Scope of delivery:

- 2 x Extension kit

Special lift adapter for lifts with U-profile

Article number: 1 690 701 020




- For attachment of Easy 3D sensor heads on above and in-ground lifts
- One position for sensor heads

Scope of delivery:

- 2 x Lift adapter

Floor adapter for LTB 100/300

Article number: 1 690 701 506



- Floor adapter - Levelled Test Bay LTB 100/300
- For attachment of Easy 3D sensor heads on levelled test bays LTB 100 and LTB 300
- Position of sensor head is adjustable in vehicle direction via rail system

Scope of delivery:

- 2 x Floor adapter

Floor adapter for alignment pits

Article number: 1 690 701 027



- For attachment of Easy 3D sensor heads on alignment pits
- Position of sensor head is fixed

Scope of delivery:

- 2 x Floor adapter

Magnetic clamps for wheel bolts | 75mm

Set of magnetic clamps for magnetic wheel bolts

Article number: 1 690 701 508



- Quick and gentle attachment on wheel bolts instead of the rim
- Secure and central hold for ultimate precision
- Suited for 3/4/5/6 hole rims

Scope of delivery:

- 4 x Magnet clamps 75mm

Magnetic clamps for wheel bolts | 100mm

Set of magnetic clamps for magnetic wheel bolts

Article number: 1 690 701 521



- Quick and gentle attachment on wheel bolts instead of the rim
- Secure and central hold for ultimate precision
- Suited for 3/4/5/6 hole rims

Scope of delivery:

- 4 x Magnet clamps 100mm

Extension magnet for magnetic holder | 100 mm | 1 pc.

One 100mm magnet, three required for a magnetic clamp.

Article number: 1 690 701 523



Scope of delivery:

- 1 x 100 mm magnet

Multi-Fit wheel clamp with standard claws | 13 - 22" | 4 pcs.

Article number: 1 690 311 112



- High quality claws for gentle attachment to rims
- Torque control for strong hold without deforming the rim

Scope of delivery:

- 4 x Multi-fit clamps
- 16 x Standard claws

Multi-Fit wheel clamp with standard claws | 13 - 22" | 1pc.

Article number: 1 690 311 089



- High quality claws for gentle attachment to rims
- Torque control for strong hold without deforming the rim

Scope of delivery:

- 1 x Multi-fit clamp
- 4 x Standard claws

Extension set for Multi-fit clamps | 23 - 28"

Article number: 1 690 311 113



Scope of delivery:

- 4 x Extensions

Set softline claws for 1 x Multi-fit clamp | Softline rims

Article number: 1 690 311 164



Scope of delivery:

- 4 x Special claws for softline rims

Set truck claws for 1 x Multi-fit clamp | Truck

Article number: 1 690 311 115



For convex wheels mounted to a double-bearing hub and dually wheels.

Length: 10cm


Scope of delivery:

- 4 x Truck claws for 1 Multi-Fit Clamp

Set of Drive-on ramps | for RaceScales

4x drive-on ramps, e.g. RaceScales on lifts without turntable recess.

Article number: 1 692 000 221



- Set of Drive-on ramps for turntables and sliding plates
- Suitable for lifts without cutouts for turntables or sliding plates, e.g. MOT lifts
- Made from recycled rubber granulate
- Withstands snow, water, salt, oil under normal workshop conditions
- Temperature stable between -30°C to 80°C
- Produced free from pollutants according to REACH

Dimensions:

- Height: 50mm
- Width: 495mm
- Length: 500mm
- Length rolling surface: 200mm
- Length slope: 300mm
- Slope: 8°


Scope of delivery:

- Set of 4x drive-on ramps

Target boards 340 cm

Target boards for wheelbases > 340cm

Article number: 1 690 701 032



- Enables measurement of long wheelbases
- Only required for rear axle

Scope of delivery:

- 2 x Target boards for long wheelbases

Extension for vehicles with narrow track width or RVs

Article number: 1 690 701 127



Extension of the measuring boards:

- When used with a very narrow vehicle: use 4x extension
- For motorhomes with a wide body: use 2x extension on rear axle

Scope of delivery:

- 1 x extension

Standard target board for Easy 3D

Article number: 1 690 711 005



- No calibration required before use
- Lightweight and robust
- No exchange required after slight deformation of target
- No fixed position on the vehicle

Scope of delivery:

- 1 x Standard target board for Easy 3D

Cable set 7.5 m / 7.5 m

Cable set for above ground pit solutions

Article number: 1 690 701 205



Scope of delivery:

- 2 x 7.5 m cable set

Cable set 12 m / 12 m

Cable set for four post lifts

Article number: 1 690 701 029



Scope of delivery:

- 2 x 12 m cable set

Cable set 15 m / 15 m

Cable set for scissor lifts

Article number: 1 690 701 030



Scope of delivery:

- 2 x 15 m cable set

Cable set 25 m / 25 m

Cable set for vertical scissor lifts and special installations

Article number: 1 690 701 163



Scope of delivery:

- 2 x 25 m cable set

Brake pedal depressor

Article number: 1 690 401 006



Steering wheel holder

Article number: 1 690 401 007



Step protection for Easy 3D

Article number: 1 690 701 045



Scope of delivery:

- 1 x Step protection

Wallhooks for Clamps and targets | for Easy3D+

Article number: 1 690 701 040




For space-saving storage of clamps and targets

Scope of delivery:

- 4x wallhooks

Wallhooks for sensor heads | for Easy3D+

Article number: 1 690 701 507



For space-saving storage of sensor heads when not in use


Scope of delivery:

- 4x Bolts for two sensor heads

Wheel chock set 2 pcs.

Prevents vehicle from rolling off the lift

Article number: 1 692 000 156




Scope of delivery:

- 2 x Wheel chock

Calibration device for Easy 3D

Complete toolkit for a zero calibration of the reference camera system of a 3D sensor head in the field

Article number: 1 690 700 014



- Additionally, this tool can be used for an accuracy check in the workshop.

Scope of delivery:

- 1 x Calibration Frame
- 10m cable set
- Positioning pins
- Transport Box
- Software
- Manuals

Ballast bag 5 kg

Used for vehicles that require loading to a specific ride height in order to perform alignment

Article number: 1 693 740 001



Scope of delivery:

- 1 x Ballast bag, 5 kg

Ballast bag 20 kg

Used for vehicles that require loading to a specific ride height in order to perform alignment

Article number: 1 693 740 003



Scope of delivery:

- 1 x Ballast bag, 20 kg

Romess inclinometer with standard adapter | 230V

For measuring the level of Mercedes-Benz vehicles on the front and rear axle

Article number: 1 693 770 002



For measuring the level of Mercedes-Benz vehicles on the front and rear axle

- Measuring range: $\pm 15^\circ$ with accuracy of $\pm 0.1^\circ$
- Interface: RS-232, USB
- Data transfer: manual (automatic data transfer requires the Romess data transfer and charging unit 1693770003)

The included standard adapter plate is only required for types 170, 202, 208 and 210.

Scope of delivery:

- Inclinometer with display
- Standard adapter plate (1693770160)
- Transportation case
- Power supply

Original part: Romess 09606-10

Romess data transfer and charging unit | 230V

Accessory for Romess inclinometer 1693770002.

Article number: 1 693 770 003



Accessory for Romess inclinometer 1693770002.

Charges inclinometer when inserted into charging station.
Automatic data transfer between Romess inclinometer and wheel aligner.

Automatic data transfer only on wheel aligners EasyCCD, Easy3D+ and Touchless.


Scope of delivery:

- Data transfer and charging unit
- Power supply
- Connecting cable 9-pin for RS-232

Original part: Romess 09630-10

Romess adapter set for Vaneo type W414

Article number: 1 693 770 004




- Accessory for Romess Inclinator 1693770002

Original part: Romess 09606-62

Replacement standard adapter for Romess inclinometer

Article number: 1 693 770 160



- For types: 170, 202, 208, 210
- Not required for types 168, 220 and all newer types

Original part: Romess 09606-50

Romess steering wheel level gauge with Bluetooth | 230V

Steering level gauge with electronic inclinometer for checking the steering level position during the wheel alignment.

Article number: 1 693 770 619

Steering level gauge with electronic inclinometer for checking the steering level position during the wheel alignment. Save valuable time for every alignment as the steering level position is permanently monitored, especially when the vehicle is raised on the lift. Prevents crooked steering wheels and time-consuming comebacks.

Completely wireless and powered with integrated Li-Ion batteries. Alternatively, the USB used for charging the device can also be used for the data transmission.

- Measuring range: +/- 30° with accuracy of +/- 0,1°
- Max. Steering level position: 15°
- Operating time: 20 hrs
- Charging time: 4 hrs

Scope of delivery:

- Steering level gauge with Bluetooth connection
- Power supply
- Transportation case
- Bluetooth stick for Windows-PC

Original part: Romess 20090-S-BT

USB Remote control | for EasyCCD, Easy3D+ and Touchless

Remote control with USB receiver. For EasyCCD, Easy3D+ and Touchless. Requires software update of the aligner program. Powered by 2x AAA batteries.

Article number: 1 693 770 586



Easy 3D+ - Accessories



Vehicle database update CCD/Easy3D | Key Card

Article number: 1 690 002 023



Vehicle database update Cars & Vans Europe | Online Download

Article number: 1 690 008 100



Software Upgrade Easy3D to Easy 3D+ | Key Card

Article number: 1 690 701 252



PC Upgrade Easy3D to Easy3D+ | pre-installed Windows 10 PC

Article number: 1 690 701 258



Mechanical turntable | Steel | with Nonius

Article number: 1 690 311 002




Filling piece | for steel turntable 1690311002

Article number: 1 690 702 157




Windows 10 PC Upgrade | pre-installed | for CCD, 3D and Touchless

Article number: 1 690 101 025



Mechanical aluminum turntable Standard

Article number: 1 690 501 001



Mechanical aluminum turntable Precision

Article number: 1 690 401 028



Filling piece for aluminum precision turntable

Article number: 1 690 102 041



Protective rubber cover for aluminum turntable

Article number: 1 690 402 001



Sliding plate for rear axle | short

Article number: 1 690 401 003




Sliding plate for rear axle | long

Article number: 1 690 401 004



Drive-on ramps for two aluminum turntables

Article number: 1 690 701 052



Drive-on ramps for turntables and sliding plates

Article number: 1 690 401 008



Lift adapter two positions

Article number: 1 690 701 231



Lift adapter one position

Article number: 1 690 701 232



Lift adapter extension from one to two positions

Article number: 1 690 701 503




Special lift adapter for Beissbarth / Consul

Article number: 1 690 701 123



Special lift adapter Extension for Beissbarth / Consul

Article number: 1 690 701 311



Special lift adapter for lifts with U-profile

Article number: 1 690 701 020



Floor adapter for LTB 100/300

Article number: 1 690 701 506



Floor adapter for alignment pits

Article number: 1 690 701 027

**Magnetic clamps for wheel bolts | 75mm**

Article number: 1 690 701 508

**Magnetic clamps for wheel bolts | 100mm**

Article number: 1 690 701 521

**Extension magnet for magnetic holder | 100 mm | 1 pc.**

Article number: 1 690 701 523

**Multi-Fit wheel clamp with standard claws | 13 - 22" | 4 pcs.**

Article number: 1 690 311 112

**Multi-Fit wheel clamp with standard claws | 13 - 22" | 1pc.**

Article number: 1 690 311 089

**Extension set for Multi-fit clamps | 23 - 28"**

Article number: 1 690 311 113

**Set softline claws for 1 x Multi-fit clamp | Softline rims**

Article number: 1 690 311 164

**Set truck claws for 1 x Multi-fit clamp | Truck**

Article number: 1 690 311 115

**Set of Drive-on ramps | for RaceScales**

Article number: 1 692 000 221

**Target boards 340 cm**

Article number: 1 690 701 032

**Extension for vehicles with narrow track width or RVs**

Article number: 1 690 701 127

**Standard target board for Easy 3D**

Article number: 1 690 711 005

**Cable set 7.5 m / 7.5 m**

Article number: 1 690 701 205

**Cable set 12 m / 12 m**

Article number: 1 690 701 029

**Cable set 15 m / 15 m**

Article number: 1 690 701 030

**Cable set 25 m / 25 m**


Article number: 1 690 701 163

**Brake pedal depressor**

Article number: 1 690 401 006

**Steering wheel holder**

Article number: 1 690 401 007

**Step protection for Easy 3D**

Article number: 1 690 701 045

**Wallhooks for Clamps and targets | for Easy3D+**

Article number: 1 690 701 040

**Wallhooks for sensor heads | for Easy3D+**

Article number: 1 690 701 507

**Wheel chock set 2 pcs.**

Article number: 1 692 000 156

**Calibration device for Easy 3D**

Article number: 1 690 700 014

**Ballast bag 5 kg**

Article number: 1 693 740 001

**Ballast bag 20 kg**

Article number: 1 693 740 003

**Romess inclinometer with standard adapter | 230V**


Article number: 1 693 770 002

**Romess data transfer and charging unit | 230V**

Article number: 1 693 770 003

**Romess adapter set for Vaneo type W414**

Article number: 1 693 770 004

**Replacement standard adapter |for Romess inclinometer**

Article number: 1 693 770 160

Romess steering wheel level gauge with Bluetooth | 230V

Article number: 1 693 770 619

**USB Remote control | for EasyCCD, Easy3D+ and Touchless**

Article number: 1 693 770 586

IMPORTANT NOTES

- Please notice: This list contains spare parts, too.
- Without instruction or assembly.
- Delivery ex works including packaging.

VERSION 2025.12.09 – PRICES ON REQUEST

- Starting from now all previous lists will lose their validity.
- Please read our general terms and conditions in the latest version before ordering; to be found under www.beissbarth.com.

Beissbarth Automotive Testing Solutions GmbH

Friedrichshafener Str. 602
82205 Gilching, Germany
sales@beissbarth.com
www.beissbarth.com

Telefon: +49-(0)89-14901-0
Telefax: +49-(0)89-14901-246

Order number 1 693 602 008 **Print norm** BB XXX / XX.XX.2020 DE · Subject to technical and program changes, errors excepted.

