



BRAKE TESTER PASSENGER CAR - ACCESSORIES

Version 2026.02.19 – Prices on request

Integrated ICperform PC Kit with ICperform Software License and Tablet App License

Computer interface kit for installation into the new control cabinet, direct connection to the computer via USB cable (up to 1.5 m), USB board for control cabinet, USB cable, ICperform Garage Car Software License and Tablet App License (not for test lane)

Article number: 1691601964



External Icperform PC Kit with Icperform Software License and Tablet App License

Computer interface kit with BUS cable for larger distances (standard 15 m, optional 30 m), USB box, USB cable, Icperform Garage Car Software License and Tablet App License (not for test lane)

Article number: 1691601965



Integrated Icperform PC kit - IR with IR remote control and ICperform Software License

Computer interface kit for installation into the new control cabinet, direct connection to the computer via USB cable (up to 1.5 m), USB board for control cabinet, USB cable, remote control and receiver, ICperform Garage Car Software License (not for test lane) | Prerequisite: serial PC interface (COM) for the operation of the receiver

Article number: 1691601963



External Icperform PC kit with IR remote control and Icperform Software License

PC connection kit with BUS Cable for long distances (standard 15 m, optional 30 m), USB-Box, USB cable, Remote control, Icperform Garage Car Software License (not for test lane) | Prerequisite: serial PC interface (COM) for the operation of the receiver

Article number: 1691601966



Remote control

Already available in some of SW Kits, but also can be sold separately | incl. Battery

Article number: 1691701018



IR receiver

Already available in some of SW Kits, but also can be sold separately


Article number: 1693770001



Extension cable for receiver | 10 m

Enables flexibility of the IR receiver position (up to 10 m)

Article number: 1691603000



Remote control and IR Receiver

incl. Battery

Article number: 1691701311



PC cabinet Standard | empty

Moving trolley enables the best arrangement and positioning of all PC components | Empty trolley! To add PC component you can additionally order 1 691 810 743.

Article number: 1691811250



Testlane PC with a serial interface

PC can also be bought locally | Please pay attention to the minimum requirements: • Operating system: Windows 7, Windows 10, 64 Bit • Processor: Celeron 2.7 GHz • Random access memory: 4 GB • Hard disk: 500 GB • Serial port: 2 x RS232 (COM)

Article number: 1691810703



System requirements when using your separate PC:

- Operating system: Windows 7, Windows 10, 64 Bit
- Processor: Celeron 2.7 GHz
- Random access memory: 4 GB
- Hard disk: 500 GB
- Serial port: 2 x RS232 (COM)

Monitor holder 17 - 27"

Includes only the monitor holder (Monitor not included)

Article number: 1693740884



Monitor holder 22 - 35"

Includes only the monitor holder (Monitor not included)

Article number: 1693740911



PC gear pack for PC cabinet Standard


Full PC equipment | incl. PC, monitor, monitor holder, mouse, keyboard and printer

Article number: 1691810743



Display RAL 7040 | analog, oval | swivel arm, IR receiver

Article number: 1691601771



Display RAL 7016 | analog, rectangular | LCD, swivel arm, IR receiver

Article number: 1691601762



Display RAL 7040 | analog, rectangular | swivel arm, IR receiver

Article number: 1691601776



Stand column aluminium | RAL 7016 | for TV Monitor / rectangular analog display

Alternative to wall mounting, mounting solution for TV monitors or square analogue displays | TV adapter for stand column / swivel arm (item no. 1 691 810 722) is also required to attach a TV monitor!


Article number: 1691810722



Stand column RAL 7040 | for TV Monitor / oval analog display


Alternative to wall mounting, mounting solution for TV monitors or oval analogue displays

Article number: 1691600470



LCD Display set for upgrading analogue displays without an integrated LCD


Article number: 1691601025



TV adapter for stand column / swivel arm


TV mount for wall mounting on the swivel arm (item no. 1 691 601 959) or for floor mounting with stand column (item no. 1 691 810 722)

Article number: 1691812325



Swivel arm for TV adapter


Scope of delivery for all analogue displays | Can also be ordered separately to mount the TV monitor on the wall (Additional TV adapter for stand column / swivel arm (item no. 1 691 812 325) required!)
Article number: 1691601959



Stand column for Power-Box

Alternative to wall mounting of the Power-Box (included with all brake testers)


Article number: 1691601435



Edge protection for car brake tester | 700 mm

Edge protection for single brake tester with 700 mm roller length


Article number: 1691602000



Edge protection for car brake tester | 1000 mm

Edge protection for single brake tester with 1000 mm roller length


Article number: 1691602151



Installation frame for car brake tester | 700 mm

Installation frame for single brake tester with 700 mm roller length



Article number: 1691602115



Drive-over plate swiveling | 700 mm

Swiveling drive-over plate for roller set with 700 mm (2 pieces)


Article number: 1691601011



Drive-over plate pluggable | 700 mm

Pluggable drive-over plate for roller set with 700 mm (2 pieces)


Article number: 1691601010



Drive-over plate pluggable | 1000 mm

Pluggable drive-over plate for roller set with 1000 mm (2 pieces)


Article number: 1691602112



Support strips for axle load scales | 2 pcs

This solid support is used to adjust the screws of the axle load weighting sensors. Only required when brake tester is installed without inground frame.

Article number: 1691601009



Digital calibration kit for brake tester

Digital calibration kit with transport suitcase, digital sensor and calibration manual


Article number: 1691601392



Axle load scale 4 sensors

4 sensors used to determine vehicle axle load. Additionally requires support strips 1691601009 when brake tester is installed without inground frame.

Article number: 1691601606



Pedal force wireless


Article number: 1691601401



Smooth start 400 V

for smoother start of brake tester operation | for countries using 400 V

Article number: 1691601437



Cableset 400 V | Power-Box to roller set | 30 m

Extention cable for connecting the Power-Box to roller set

Article number: 1691601444

Integrated PC Kit Professional IR

Integrated PC kit to be build in the Power-Box, direct connection to PC via USB cable (up to ca. 1.5 m) incl. Software, dongle #3, USB board for the Power-Box, USB cable, Bnet cable, IR receiver, IR remote control

Article number: 1691601397


External PC Kit professional IR

External PC Kit with USB cable for long distance (standard 5 m, optional up to 50 m), incl. Software, dongle #3, USB box, USB cable, IR receiver, IR remote control

Article number: 1691601398

Edge protection for BD 321 motorbike

Article number: 1691300014



Lifting and lowering device | HUS 104 | for BD 4xxx and QB.4 brake tester | 700mm

For fully automatic lifting and lowering of the axle in and out of BD 4xxx and QB.4 brake tester with 700mm rollers

Article number: 1691600015



The solution that allows the fully automated lowering and lifting of the axle in and out of the brake tester:

- Ideal for premium vehicles or cars with low ground clearance
- Easier entry and exit of the roller brake tester
- The automatic lowering and lifting respects all necessary safety requirements

Recommended for intensive use in PTI inspection centers:

- Enables a more fluid, faster and simplified procedure
- Increases the safety of the brake tester
- Increases the longevity of mechanical components (reduces undesired shocks and accelerations of the bench)
- Minimizes the risk of spoiler damage in sports cars
- Fully automated

TV display kit | QB.4

Required for displaying the Android app on a TV. Includes power supply unit, remote control and accessories.

Article number: 1691403100



Used for displaying the braking force on a TV. The QB.4 Android app runs on an Android stick that is plugged directly into the TV. The app is operated via a small remote control. This means that any television can be used to display and control the app, without any licenses, activations or intermediate PCs. Includes power supply unit, remote control and accessories.

Pedal force meter | QB.4

Measures pedal force up to 1000N wirelessly via 433Mhz

Article number: 1691403101



Measure pedal force and transmits data wirelessly at 433Mhz. The pedal force meter allows the application of the same pedal force across multiple measurements. This is particularly useful for all-wheel-drive vehicles when left and right wheels are tested individually.

- Measuring range: up to 1,000N
- Resolution: 1N
- Frequency: 433Mhz (8 channels)
- Battery: Rechargeable with 600mAh capacity (12h runtime)
- Dimensions (L x W x H): 106 x 60 x 50mm
- Protection class: IP56
- Temperature range: 0 to 50°C

Height spacer for BD 4xxx / QB.4 in combination with SA 640 / SN 680 / QS.4

Height spacer to place under the brake tester when installed in combination with a EUSAMA suspension tester and the installation frame (P/N 1691602002)

Article number: 1691601109

Height spacer to place under the brake tester when installed in combination with a EUSAMA suspension tester and the installation frame (P/N 1691602002)

USB-Converter Set Standard | for BD 620

USB converter set for connection of BD 620 to existing PCs, BNet software incl. printer software, archiving software and order manager.

Article number: 1691601028


BNet license key #3 (ASA-Netzwerk)

Article number: 1691708006

Pedal force sensor | for BD620 | cable version

Pedal force sensor for BD620 as cable version


Article number: 1691601020



4-point scale | retrofit kit for BD 620

4-point weight cells as retrofit kit for automatic calculation of axle weight and total deceleration


Article number: 1691601057



Wall bracket | VESA 400x400mm

Holds TVs with VESA-mount 400x400mm. Swivable.

Article number: 1691401107



Brake Tester Passenger Car - Accessories



Integrated Icperform PC Kit with Icperform Software License and Tablet App License

Article number: 1691601964



External Icperform PC Kit with Icperform Software License and Tablet App License

Article number: 1691601965



Integrated Icperform PC kit - IR with IR remote control and Icperform Software License

Article number: 1691601963



External Icperform PC kit with IR remote control and Icperform Software License

Article number: 1691601966



Remote control

Article number: 1691701018



IR receiver

Article number: 1693770001

Extension cable for receiver | 10 m

Article number: 1691603000



Remote control and IR Receiver

Article number: 1691701311



PC cabinet Standard | empty

Article number: 1691811250



Testlane PC with a serial interface

Article number: 1691810703



Monitor holder 17 - 27"

Article number: 1693740884



Monitor holder 22 - 35"

Article number: 1693740911



PC gear pack for PC cabinet Standard

Article number: 1691810743



Display RAL 7040 | analog, oval | swivel arm, IR receiver

Article number: 1691601771



Display RAL 7016 | analog, rectangular | LCD, swivel arm, IR receiver

Article number: 1691601762



Display RAL 7040 | analog, rectangular | swivel arm, IR receiver

Article number: 1691601776



Stand column aluminium | RAL 7016 | for TV Monitor / rectangular analog display

Article number: 1691810722



Stand column RAL 7040 | for TV Monitor / oval analog display

Article number: 1691600470



LCD Display set for upgrading analogue displays without an integrated LCD

Article number: 1691601025



TV adapter for stand column / swivel arm

Article number: 1691812325



Swivel arm for TV adapter

Article number: 1691601959



Stand column for Power-Box

Article number: 1691601435




Edge protection for car brake tester | 700 mm

Article number: 1691602000

**Edge protection for car brake tester | 1000 mm**

Article number: 1691602151

**Smooth start 400 V**


Article number: 1691601437

**Installation frame for car brake tester | 700 mm**

Article number: 1691602115

**Drive-over plate swiveling | 700 mm**

Article number: 1691601011

**Drive-over plate pluggable | 700 mm**

Article number: 1691601010

**Drive-over plate pluggable | 1000 mm**

Article number: 1691602112

**Support strips for axle load scales | 2 pcs**

Article number: 1691601009

**Digital calibration kit for brake tester**

Article number: 1691601392

**Axle load scale 4 sensors**

Article number: 1691601606

**Pedal force wireless**

Article number: 1691601401

**Cablesset 400 V | Power-Box to roller set | 30 m**


Article number: 1691601444

**Integrated PC Kit Professional IR**

Article number: 1691601397

**External PC Kit professional IR**

Article number: 1691601398

**Edge protection for BD 321 motorbike**

Article number: 1691300014

**Lifting and lowering device | HUS 104 | for BD 4xxx and QB.4 brake tester | 700mm**


Article number: 1691600015

**TV display kit | QB.4**

Article number: 1691403100

**Pedal force meter | QB.4**

Article number: 1691403101

**Height spacer for BD 4xxx / QB.4 in combination with SA 640 / SN 680 / QS.4**

Article number: 1691601109

**USB-Converter Set Standard | for BD 620**


Article number: 1691601028

**BNet license key #3 (ASA-Netzwerk)**


Article number: 1691708006

**Pedal force sensor | for BD620 | cable version**

Article number: 1691601020

**4-point scale | retrofit kit for BD 620**

Article number: 1691601057

**Wall bracket | VESA 400x400mm**

Article number: 1691401107

IMPORTANT NOTES

- Please notice: This list contains spare parts, too.
- Without instruction or assembly.
- Delivery ex works including packaging.

Beissbarth Automotive Testing Solutions GmbH

Friedrichshafener Str. 602
82205 Gilching, Germany
sales@beissbarth.com
www.beissbarth.com

Telefon: +49-(0)89-14901-0
Telefax: +49-(0)89-14901-246

VERSION 2026.02.19 – PRICES ON REQUEST

- Starting from now all previous lists will lose their validity.
- Please read our general terms and conditions in the latest version before ordering; to be found under www.beissbarth.com.

Order number 1 693 602 008 Print norm BB XXX / XX.XX.2020 DE · Subject to technical and program changes, errors excepted.

