



Q.LIGN

Q.Lign | Kit

Modular web-based 3D wheel aligner for customized alignment installations tailored to your customer's workshop or for upgrading existing wheel alignment bays.

Article number: 1 690 200 003

Description

The World's most innovative Wheel aligner

Q.Lign is our answer to an increasingly digital and fast-paced world: ultra fast, compact, connected

World's First Web-based wheel aligner

- Compact web-based technology creates more space by replacing the need for trolley with PC
- Stream-to-X: Directly display the software on any TV, PC, laptop or smartphone
- Unleash the full power of connectivity by integrating Q.Lign into your daily workshop processes and systems

Get all the speed you want without compromising on accuracy

- Ultra fast software with optimized workflow of the complete alignment process
- Q.Grip wheel clamps mounted in seconds, without any rim contact

Full mobility, infinite possibilities

- Completely wireless thanks to high performance Li-Ion batteries
- Installation on any alignment lift type, above and inground
- Runout compensation in any lift height, from zero to top position
- Permanently use the space in front of the lift for headlight testing and ADAS calibration

Work smarter, not harder

- Get values the second the targets are recognized to immediately spot vehicles involved in accidents
- Measure with any target on any wheel position to save time and eliminate user error
- Active lift control: Our recipe for success for straight steering wheels
- Have the values always in sight from under the vehicle with the four OLED screens on the sensor heads

Putting the customer first

- Easy to understand printouts
- Theme-based printouts (e.g. accident report) instead of one size fits all
- Measurement of all common wheel alignment angles, including vehicle dimensions for easy detection of vehicles involved in accidents

Scope of delivery:

- 2 compact Q.Lign sensor heads with OLED displays
- Display module for direct streaming to TV, PC, laptop or tablet
- 4 targets with auto-identification
- Lift adaption
- Key Card 365 for international vehicle specs

Please note: This version allows full customization to the requirements of the installation site. Battery or cable? Trolley or TV? There are already clamps and turnplates available on site? Use this version to design the **perfect solution tailored to your customer's needs** or for **upgrading existing wheel alignment bays**. When using the batteries, only the model specified by Beissbarth with the corresponding performance characteristics may be used. Any warranty claims resulting from the use of unsuitable batteries will not be accepted.

Technical Data

Weight	31 kg
Packaging unit	1 Pallet(s)
Electrical connection	100 - 230 V 50 - 60 Hz 1 ph
Individual toe front/rear axle	Ja
Total toe	Ja
Toe-out on turns	Ja
Camber front/rear axle	Ja
Caster	Ja
SAI	Ja
Set-back	Ja
Thrust angle	Ja
Data transmission type	kabellos
Measuring system	3D
Run-out compensation	Ja
Individual toe front axle	Ja
Individual toe rear axle	Ja
Camber front	Ja
Camber rear	Ja
Set-back front axle	Ja
Geometric centre line	Ja
Packaging length	850
Packaging width	550
Packaging height	600
Gross weight	41 kg
Country of Origin, customs	DE
Max. wheel base	5000 mm

Accessories

1 690 002 019	Vehicle database update Q.Lign Key Card 365
1 690 200 013	ADAS target boards for Q.Lign
1 690 101 010	Adapter set Q.Grip for Q.Lign 4 pcs.
1 690 203 025	Power connection cable 10 m
1 690 203 041	Power connection cable 15 m
1 690 201 069	Duo-battery charging station for Q.Lign incl. accessories
1 690 203 053	Battery for Q.Lign Li-Ion 99 Wh
1 693 770 648	Power supply for Q.Lign Accessories 19 V RRC
1 690 201 030	Emergency power box for Q.Lign

1 690 201 035	Lift adaptation for Q.Lign
1 693 770 644	Tablet Android 10.1"
1 693 770 634	Mouse and keyboard Wireless
1 690 201 054	Wall board for Q.Lign
1 693 770 415	Printer for Beissbarth trolleys
1 690 201 055	Trolley with 27" monitor for Q.Lign
1 690 501 001	Mechanical aluminum turntable Standard
1 690 401 028	Mechanical aluminum turntable Precision
1 690 401 011	Electronic aluminum turntable without connecting cable Standard
1 690 401 013	Electronic aluminum turntable without connecting cable Precision
1 690 102 041	Filling piece for aluminum precision turntable
1 690 701 052	Drive-on ramps for two aluminum turntables
1 690 402 001	Protective rubber cover for aluminum turntable
1 690 403 001	Connecting cable for electronic turntables
1 690 401 008	Drive-on ramps for turntables and sliding plates
1 690 401 003	Sliding plate for rear axle short
1 690 701 508	Magnetic clamps for wheel bolts 75mm
1 690 701 521	Magnetic clamps for wheel bolts 100mm
1 690 401 004	Sliding plate for rear axle long
1 690 380 010	Self-centering quick clamp for Porsche
1 690 301 002	Central clamp Porsche Carrera GT
1 690 380 002	Central clamp Porsche 911 GT3 and Turbo
1 690 380 161	Self-centering quick clamp for Tesla
1 690 381 299	Self-centering quick clamp for Ferrari
1 690 801 002	Quick clamp Mercedes-Benz OEM
1 690 801 001	Quick clamp BMW OEM
1 690 801 007	Distance bolts for quick clamp Mercedes Benz 100 mm
1 690 801 003	Distance bolts for quick clamp BMW 120 mm
1 690 401 019	Distance bolts for quick clamp Mercedes Benz and BMW 125 mm
1 690 311 112	Multi-Fit wheel clamp with standard claws 13 - 22" 4 pcs.
1 690 311 089	Multi-Fit wheel clamp with standard claws 13 - 22" 1pc.
1 690 311 164	Set softline claws for 1 x Multi-fit clamp Softline rims
1 690 311 115	Set truck claws for 1 x Multi-fit clamp Truck
1 690 311 113	Extension set for Multi-fit clamps 23 - 28"
1 692 000 156	Wheel chock set 2 pcs.
1 690 202 155	Dust cover target board Q.Lign
1 690 801 048	Storage kit for 4x Q.Grip
1 690 801 047	Storage kit for 4x MultiFit