

Dialogannahme

OEM - ACCESSORIES

Version 2026.02.20 – Prices on request

Centering Disc | VW Crafter / Mercedes-Benz Sprinter | Ø161mm

Article number: 1692500213



Center hole diameter: 161mm
Clamping type: Manual / Pneumatic
For wheel type: Light trucks
Required for: Clamping via the center hole of the rim
Application: Wheels should be clamped with the cone from the inside.
Use in conjunction with: 3-Arm Centering Star (1695653420) for clamping from the outside
Quantity: 1
Required quantity per wheel: 1
Not suitable for: Rims without center hole

Clamping Kit | BMW | Pneumatic

Article number: 1692502246



Clamping type: Pneumatic
For wheel types: BMW OEM 4/5-hole rims
Required for: Clamping the wheel from the outside via the wheel bolt holes
Application: Wheels are clamped with a BMW type plate via the wheel bolt holes from the outside and centered.
Use in conjunction with: Beissbarth G-Series Wheel Balancer
Quantity: 1
Number required per wheel: 1

Scope of delivery:

- 3x Long pneumatic sleeve with thread (1692502209)
- 1x Type plate 4x100 / 5x120 (1695654927)
- 1x Type plate 5x112 / 5x120 (1695600215)
- 1x Type plate 5x120 / 5x132 (1695502248)
- 5x Centering bolt, L=100mm, spring-loaded, long taper (1695656834)
- 1x Precision collet Ø 66.5mm (1695600214)
- 1x Precision collet Ø 56-57 / 72.5-74mm (1695600216)

Precision Collet | BMW | Ø56-57 / 72,5-74mm

Article number: 1695600216



Center hole diameter: 56-57 / 72,5-74mm
Clamping type: Manual / Pneumatic
For wheel type: BMW OEM
Required for: Clamping via the center hole of the rim
Application: Wheels should be clamped from the inside using the collet.
Use in conjunction with: Stand-alone (ideally with BMW-specific type plate)
Quantity: 1
Number required per wheel: 1
Not suitable for: Rims without center hole

Precision Collet | BMW | Ø66,5mm


Article number: 1695600214



Center hole diameter: 66.5mm
Clamping type: Manual / Pneumatic
For wheel type: BMW OEM
Required for: Clamping via the center hole of the rim
Application: Wheels should be clamped from the inside using the collet.
Use in conjunction with: Stand-alone (ideally with BMW-specific type plate)
Quantity: 1
Number required per wheel: 1
Not suitable for: Rims without center hole

Type Plate | BMW | 4x100 / 5x120mm

Article number: 1695654927



Clamping type: Manual / Pneumatic
For wheel types: BMW OEM rims with bolt circle 4x100 / 5x120
Required for: Clamping the wheel from the outside via the wheel bolt holes
Application: Wheels are clamped and centered from the outside using a BMW type plate via the wheel bolt holes.
Use in conjunction with:

- Centering bolts, L=100mm, spring-loaded, long taper Ø 24.5mm (1695656834)
- Pneumatic sleeve with thread (1692502209)
- ProGrip quick release wing nut with thread (1692502195)

Quantity: 1
Number required per wheel: 1

Scope of delivery: 1x Type plate 4x100 / 5x120

Type Plate | BMW | 5x112 / 5x120mm

Article number: 1695600215



Clamping type: Manual / Pneumatic
For wheel types: BMW OEM rims with bolt circle 5x112 and 5x120
Required for: Clamping the wheel from the outside via the wheel bolt holes
Application: Wheels are clamped and centered from the outside using a BMW type plate via the wheel bolt holes.
Use in conjunction with:

- Centering bolts, L=100mm, spring-loaded, long taper Ø 24.5mm (1695656834)
- Pneumatic sleeve with thread (1692502209)
- ProGrip quick release wing nut with thread (1692502195)

Quantity: 1
Number required per wheel: 1

Scope of delivery: 1x Type plate 5x112 / 5x120

Type Plate | BMW | 5x120 und 5x132mm

Article number: 1692502248



Clamping type: Manual / Pneumatic
For wheel types: BMW OEM rims with bolt circle 5x120 und 5x132
Required for: Clamping the wheel from the outside via the wheel bolt holes
Application: Wheels are clamped and centered from the outside using a BMW type plate via the wheel bolt holes.
Use in conjunction with:

- Centering bolts, L=100mm, spring-loaded, long taper \varnothing 24.5mm (1695656834)
- Pneumatic sleeve with thread (1692502209)
- ProGrip quick release wing nut with thread (1692502195)

Quantity: 1
Number required per wheel: 1

Scope of delivery: 1x Type plate 5x120 und 5x132

Centering Bolt for Type Plates | 100mm | Spring-loaded | Long Taper | Ø 24,5mm

Article number: 1695656834



Clamping type: Manual / Pneumatic
For wheel types: BMW OEM rims
Required for: Clamping the wheel from the outside via the wheel bolt holes
Application: Wheels are clamped centrally from the outside using a BMW type plate via the wheel bolt holes.
Only compatible with Type Plates with Ø 12mm holes.
Use in conjunction with:

- Type Plate | BMW | 4x100 / 5x120 (1695654927)
- Type Plate | BMW | 5x112 / 5x120 (1695600215)
- Type Plate | BMW | 5x120 / 5x132 (1692502248)

Quantity: 1
Number required per wheel: 4 or 5, depending on PCD of rim
Scope of delivery: 1x Centering bolt, L=100mm, spring-loaded, long taper, Ø 24.5mm

OEM - Accessories



Centering Disc | VW Crafter / Mercedes-Benz Sprinter | Ø161mm

Article number: 1692500213



Clamping Kit | BMW | Pneumatic

Article number: 1692502246



Precision Collet | BMW | Ø56-57 / 72,5-74mm

Article number: 1695600216



Precision Collet | BMW | Ø66,5mm

Article number: 1695600214



Type Plate | BMW | 4x100 / 5x120mm

Article number: 1695654927



Type Plate | BMW | 5x112 / 5x120mm

Article number: 1695600215



Type Plate | BMW | 5x120 und 5x132mm

Article number: 1692502248



Centering Bolt for Type Plates | 100mm | Spring-loaded | Long Taper | Ø 24,5mm

Article number: 1695656834

IMPORTANT NOTES

- Please notice: This list contains spare parts, too.
- Without instruction or assembly.
- Delivery ex works including packaging.

VERSION 2026.02.20 – PRICES ON REQUEST

- Starting from now all previous lists will lose their validity.
- Please read our general terms and conditions in the latest version before ordering; to be found under www.beissbarth.com.

Order number 1 693 602 008 **Print norm** BB XXX / XX.XX.2020 DE · Subject to technical and program changes, errors excepted.

Beissbarth Automotive Testing Solutions GmbH

Friedrichshafener Str. 602
82205 Gilching, Germany
sales@beissbarth.com
www.beissbarth.com

Telefon: +49-(0)89-14901-0
Telefax: +49-(0)89-14901-246

