

Q.LIGN 360

Version 2026.08.21 – Prices on request

Wheel Aligner Q.Lign 360 | Kit

Q.Lign 360 as kit version for wall mounting and tablet operation for 360° access to the lift. For customized customer solutions. Without wheel clamps and turntables.

Article number: 1690800000



Ultimate productivity - vehicle after vehicle The Q.Lign 360 builds on the existing Q.Lign platform and focuses entirely on wheel alignment. With Q.Lign 360, workshops raise the bar even higher and can thus exploit their full service potential.

Measuring at the highest level

- Camera beam measures permanently from a height of 2.8 meters
- No motor, no winch, no wear and tear
- No up, no down, no injuries or damage
- No movement, no matter if short or long wheelbases

Everything perfectly in sight

- Four wheels, four cameras
- Separate camera for the rear axle for more accurate toe values on the front axle
- Install anywhere within 1.8 to 3.3 meters of the front axle
- Measure and adjust from 0 to 2 meters platform height at any time

Work smarter, not harder

- Measurement starts directly with attachment of the targets to quickly determine accident vehicles
- All targets work on any wheel reduces setup times and setup errors
- Active MEMS Technology: Constant measurement against gravity for uncompromising accuracy
- Caster sweep at floor level without the need for a stool or ladder
- Access to clear and easy-to-understand PDF reports from anywhere inside your shop

The world's first web-based wheel aligner

- Eliminates need for trolley and PC and creates more space
- Incredibly efficient with up to 95% power savings compared to PC-based systems
- Stream-to-X: Access software on any TV, PC, laptop, tablet or smartphone
- Intuitive software, streamlined operations, more productivity
- Easy integration of Q.Lign into your shop's daily processes and systems

Full speed, without compromising on precision

- Powerful software with optimized workflow for the entire wheel alignment process
- Reduced runout process for more productivity
- 3D camera technology produces highly accurate realtime measurements

Space requirement

- Minimum height of 2800mm
- Minimum clearance of 2800mm on four-post lifts

Scope of delivery

- Camera beam with 4 cameras
- Q.Lign display module
- 4x targets with AutoID
- Tablet
- Brake lock and steering wheel lock
- Powerbox for power supply
- Key Card for international vehicle specs

Note: For the kit version, turnplates and wheel clamps must be ordered separately, depending on customer requirements.

Wheel Aligner Q.Lign 360

Q.Lign 360 with extendable wall fixation and tablet operation for 360° space around the lift. Comes with Q.Grip wheel clamps and turntables.

Article number: 1690800012



Ultimate productivity - vehicle after vehicle The Q.Lign 360 builds on the existing Q.Lign platform and focuses entirely on wheel alignment. With Q.Lign 360, workshops raise the bar even higher to exploit their full service potential.

Measuring at the highest level

- Camera beam measures permanently from a height of 2.8 meters
- No motor, no winch, no wear and tear
- No up, no down, no injuries or damage
- No movement, no matter if short or long wheelbases

Everything perfectly in sight

- Four wheels, four cameras
- Separate camera for the rear axle for more accurate toe values on the front axle
- Install anywhere within 1.8 to 4,2 meters of the front axle
- Measure and adjust from 0 to 2 meters platform height at any time

Never run out of space again

- Fixation on the wall and direct tablet operation
- No trolley, no post that take up space
- Measure from 1,8 to 4,2m distance to the front axle
- Frees up space around the complete alignment bay

Work smarter, not harder

- Measurement starts directly with attachment of the targets to quickly determine accident vehicles
- All targets work on any wheel reduces setup times and setup errors
- Active MEMS Technology: Constant measurement against gravity for uncompromising accuracy

- Caster sweep at floor level without the need for a stool or ladder
- Access to clear and easy-to-understand PDF reports from anywhere inside your shop

The world's first web-based wheel aligner

- Eliminates need for trolley and PC and creates more space
- Incredibly efficient with up to 95% power savings compared to PC-based systems
- Stream-to-X: Access software on any TV, PC, laptop, tablet or smartphone
- Intuitive software, streamlined operations, more productivity
- Easy integration of Q.Lign into your shop's daily processes and systems

Full speed, without compromising on precision

- Powerful software with optimized workflow for the entire wheel alignment process
- Reduced runout process for more productivity
- 3D camera technology produces highly accurate realtime measurements

Space requirement

- Minimum height of 2800mm
- Minimum clearance of 2800mm on four-post lifts

Scope of delivery

- Camera beam with 4 cameras
- Q.Lign display module
- 4x Q.Grip wheel clamps
- Wall storage for Q.Grips
- 4x targets with AutoID
- Tablet

Wheel Aligner Q.Lign T | Kit BYOD

Q.Lign T.41 as kit version for wall mounting for 360° access to the lift. For customized customer solutions. Without Tablet, wheel clamps and turntables.

Article number: 1690800011



Ultimate productivity - vehicle after vehicle The T-Series builds on the existing Q.Lign platform and focuses entirely on wheel alignment. With Q.Lign T.41, workshops raise the bar even higher and can thus exploit their full service potential.

Measuring at the highest level

- Camera beam measures permanently from a height of 2.8 meters
- No motor, no winch, no wear and tear
- No up, no down, no injuries or damage
- No movement, no matter if short or long wheelbases

Everything perfectly in sight

- Four wheels, four cameras
- Separate camera for the rear axle for more accurate toe values on the front axle
- Install anywhere within 1.8 to 3.3 meters of the front axle
- Measure and adjust from 0 to 2 meters platform height at any time

Work smarter, not harder

- Measurement starts directly with attachment of the targets to quickly determine accident vehicles
- All targets work on any wheel reduces setup times and setup errors
- Active MEMS Technology: Constant measurement against gravity for uncompromising accuracy
- Caster sweep at floor level without the need for a stool or ladder
- Access to clear and easy-to-understand PDF reports from anywhere inside your shop

The world's first web-based wheel aligner

- Eliminates need for trolley and PC and creates more space
- Incredibly efficient with up to 95% power savings compared to PC-based systems
- Stream-to-X: Access software on any TV, PC, laptop, tablet or smartphone
- Intuitive software, streamlined operations, more productivity
- Easy integration of Q.Lign into your shop's daily processes and systems

Full speed, without compromising on precision

- Powerful software with optimized workflow for the entire wheel alignment process
- Reduced runout process for more productivity
- 3D camera technology produces highly accurate realtime measurements

Space requirement

- Minimum height of 2800mm
- Minimum clearance of 2800mm on four-post lifts

Scope of delivery

- Camera beam with 4 cameras
- Q.Lign display module
- 4x targets with AutoID
- Powerbox for power supply
- 2x WiFi modules
- Key Card for international vehicle specs

Important: This version is for full customization for the customer. To complete the BYOD Kit version, the following items need to be purchased separately: control and display unit (Monitor with mouse and keyboard or Android tablet), turnplates and fillers, wheel clamps, brake and steering wheel lock.

Wheel Aligner Q.Lign 360 START

Article number: 1690800013



Big Power for Small Spaces: Q.Lign 360 START

Upgrade your workshop without compromise on space, budget, or technology. The Q.LIGN 360 START bridges the gap between compact, space-saving CCD systems and full-scale 3D aligners by delivering true 3D performance in a footprint that fits smaller workshops.

The Q.LIGN 360 START: wall-mount the technology, run it from a tablet, and turn any standard service bay into an advanced 3D alignment zone instantly.

Wall-Mounted Design: Zero Floor Space Required

- True 360-Degree Mobility: Without metal beams boxing in your service bay, technicians have unobstructed, safe access all the way around the lift and the vehicle
- Absolute Lift Versatility: Runout compensation can be completed at floor level, and mechanical adjustments can be done with the lift fully raised. The tracking is optical, not mechanical
- Flexible Installation: The system easily fits setups where the lift sits 1.8 to 3.3 meters from the wall, with an optional extendable wall mount reaching up to 4.2 meters

Low Overhead, High Efficiency

- Always ready for action: Mount the targets and start measuring immediately. In any lift position
- Tablet-Controlled Workflows: Ditch the trolley, column, PC, and printer! No extra maintenance, no wasted space. Run the entire alignment process from a mobile tablet, whether you're in the driver's seat or working underneath the vehicle
- Fast ROI through maximum performance: Faster setup, faster results, higher earnings. Stop wasting time and turn wheel alignment into a highly profitable, effortless add-on service in

your daily workshop routine

Proven Software. Trusted Performance.

- Stream-to-X: Access software on any TV, PC, laptop, tablet or smartphone
- Accelerated Workflow: High-performance software that speeds up the entire alignment process
- Intuitive Operation: User-friendly, guided workflows make it easy for even less experienced technicians to deliver professional results
- Clear, Professional Reports: Generate concise, easy-to-understand printouts that enhance customer transparency and trust
- Connected Reports: Access PDF reports from anywhere within your network and share them instantly with your customers

Scope of delivery

- Camera beam with 4 cameras
- Q.Lign display module
- 4x targets with AutoID
- Tablet
- Brake lock and steering wheel lock
- Powerbox for power supply
- Key Card for international vehicle specs

Please note: This scope of delivery does not include any turntables or wheel clamps. These need to be ordered or supplied separately.

Q.Lign 360



Wheel Aligner Q.Lign 360 | Kit

Article number: 1690800000



Wheel Aligner Q.Lign 360

Article number: 1690800012



Wheel Aligner Q.Lign T | Kit BYOD

Article number: 1690800011



Wheel Aligner Q.Lign 360 START

Article number: 1690800013

IMPORTANT NOTES

- Please notice: This list contains spare parts, too.
- Without instruction or assembly.
- Delivery ex works including packaging.

VERSION 2026.08.21 – PRICES ON REQUEST

- Starting from now all previous lists will lose their validity.
- Please read our general terms and conditions in the latest version before ordering; to be found under www.beissbarth.com.

Subject to technical and program changes, errors excepted.

Beissbarth Automotive Testing Solutions GmbH

Friedrichshafener Str. 602
82205 Gilching, Germany
sales@beissbarth.com
www.beissbarth.com

Telephone: +49-(0)89-14901-0

