


Dialogannahme

CONES & COLLETS - ACCESSORIES

Version 2026.05.12 – Prices on request


Centering cone for Toyota Land Cruiser und Offroad-Fahrzeuge | Ø 95 - 132 mm

Article number: 1695653449



Centering Cone | Ø91-112,5mm


Article number: 1692502206



Center hole diameter: 91-112,5mm
Locking Type: Manual / Pneumatic
Wheel Type: Cars / Light Trucks / Trucks
Used for: Clamping wheel via center hole of the rim
Use: Wheel should be mounted with the cone from the inside
Used in combination with: stand-alone
Quantity: 1
Required quantity: 1
Note: Rims without a concentric center bore require, in addition to the cone, clamping from the outside via the wheel bolt holes. For this purpose, either QuickPlates or Type plates can be used.

Centering Cone | Ø75-96mm


Article number: 1692502205



Center hole diameter: 75-96mm
Locking Type: Manual / Pneumatic
Wheel Type: Cars / Light Trucks / Trucks
Used for: Clamping wheel via center hole of the rim
Use: Wheel should be mounted with the cone from the inside
Used in combination with: stand-alone
Quantity: 1
Required quantity: 1
Note: Rims without a concentric center bore require, in addition to the cone, clamping from the outside via the wheel bolt holes. For this purpose, either QuickPlates or Type plates can be used.

Centering Cone | Ø59-79mm


Article number: 1692502204



Center hole diameter: 59-79mm
Locking Type: Manual / Pneumatic
Wheel Type: Cars / Light Trucks / Trucks
Used for: Clamping wheel via center hole of the rim
Use: Wheel should be mounted with the cone from the inside
Used in combination with: stand-alone
Quantity: 1
Required quantity: 1
Note: Rims without a concentric center bore require, in addition to the cone, clamping from the outside via the wheel bolt holes. For this purpose, either QuickPlates or Type plates can be used.

Centering Cone | Ø43-60,5mm


Article number: 1692502201



Center hole diameter: 43-60,5mm
Locking Type: Manual / Pneumatic
Wheel Type: Cars / Light Trucks / Trucks
Used for: Clamping wheel via center hole of the rim
Use: Wheel should be mounted with the cone from the inside
Used in combination with: stand-alone
Quantity: 1
Required quantity: 1
Note: Rims without a concentric center bore require, in addition to the cone, clamping from the outside via the wheel bolt holes. For this purpose, either QuickPlates or Type plates can be used.


Precision Collet | \varnothing 80 – 83,7/81,5 mm | for BMW special purpose vehicles

Article number: 1692500217



All-in-One Centering Kit | Duo Expert 54-78mm | 4x4 | Flange Plates No.1 & 3

Article number: 1695656570



Professional Centering Kit: The Benchmark for Tolerance-Free Balancing
This complete package combines the advantages of center-hole centering and bolt-hole centering to precisely simulate the wheel's actual fit on the vehicle hub. The result: maximum smoothness, satisfied customers, and zero vibration-related complaints.

Components and Benefits:

Duo Expert I – III (Clamping range 54 – 78 mm) Perfectly centered is halfway balanced

- **Tolerance-free mounting:** Unlike conventional cones, Duo Expert centering collets fill the center hole of the rim without any play
- **Hub simulation:** Many vehicle manufacturers mandate this cylindrical centering because it accurately replicates the fit on the wheel hub
- **No tilting:** The rim sits perfectly flush against the flange, effectively preventing "run-out" errors

4x4 Cone (89 – 132 mm) The solution for the "Big Ones"

- **Maximum flexibility:** Specifically developed for off-roaders, SUVs, and light commercial vehicles (LCVs) with large center-hole diameters.
- **Secure hold:** Ensures stable centering on the balancer shaft, even for heavy wheel-tire combinations.

Type Flange Plates (No. 1 & No. 3) For perfect mounting from the outside

- **Gentle clamping:** Power is transmitted via the bolt holes—exactly like on the vehicle. This prevents scratches on the rim surface that can be caused by standard pressure cups.
- **Precision finish:** Combined with Duo Expert collets, the wheel


is centered from both inside and outside (center and bolt holes), eliminating even the smallest imbalances.

- **Versatility:** Flange plates No. 1 and 3 cover the most common bolt patterns, making this set a true all-rounder for daily workshop use.

Why this kit makes the difference: While standard mounting equipment often compromises on precision, this set guarantees "balancing like on the vehicle." Especially for modern vehicles with sensitive suspensions, this technology is essential to avoid steering wheel vibrations. **The Result:** An optimally mounted wheel, minimal weights, and a first-class driving experience.

DuoExpert Collet Set | Set of 3 | 54 - 78 mm

Article number: 1695656698



Center Bore Diameter: 54–78 mm
Clamping Type: Manual / Pneumatic
For Wheel Type: Passenger Cars
Required For: Mounting via the wheel center bore. Covers approximately 95% of common passenger cars.
Application: Wheels should be clamped from the inside using the cone. Use In Combination With: Stand-alone (optimal results with type-specific clamping plate or Quick Plate)
Quantity: 1 Set with 3 collets
Required Quantity per Wheel: 1
Not Suitable For: Wheels without a center bore


Precision Collet for VW/Mercedes | 65/66,5/84 mm

Article number: 1695000073

Flange extension | Off-Road wheels a rims with high ET

Set che include anello distanziatore (36 mm) e spessore in poliammide (35 mm).

Article number: 1695901667



Polyamide spacer donut | for Off-Road | 40 mm

for use with distance ring 1695654895

Article number: 1695654895




Cone | for German OEMs | Ø 56.5 / 57 / 66.5 / 70 - 72.5 mm

Article number: 1692502049




- Stepped cone for German OEMs Ø 56.5 / 57 / 66.5 / 70 - 72.5 mm

Cones & Collets - Accessories




Centering cone for Toyota Land Cruiser und Offroad-Fahrzeuge | Ø 95 - 132 mm

Article number: 1695653449




Centering Cone | Ø91-112,5mm

Article number: 1692502206




Centering Cone | Ø75-96mm

Article number: 1692502205




Centering Cone | Ø59-79mm

Article number: 1692502204



Centering Cone | Ø43-60,5mm

Article number: 1692502201



Precision Collet | Ø 80 - 83,7/81,5 mm | for BMW special purpose vehicles

Article number: 1692500217



**All-in-One Centering Kit | Duo Expert
54-78mm | 4x4 | Flange Plates No.1 & 3**

Article number: 1695656570



DuoExpert Collet Set | Set of 3 | 54 - 78 mm

Article number: 1695656698

**Precision Collet for VW/Mercedes |
65/66,5/84 mm**

Article number: 1695000073




**Flange extension | Off-Road wheels a rims
with high ET**

Article number: 1695901667



**Polyamide spacer donut | for Off-Road | 40
mm**

Article number: 1695654895



**Cone | for German OEMs | Ø 56.5 / 57 / 66.5
/ 70 - 72.5 mm**

Article number: 1692502049

IMPORTANT NOTES

- Please notice: This list contains spare parts, too.
- Without instruction or assembly.
- Delivery ex works including packaging.

VERSION 2026.05.12 – PRICES ON REQUEST

- Starting from now all previous lists will lose their validity.
- Please read our general terms and conditions in the latest version before ordering; to be found under www.beissbarth.com.

Order number 1 693 602 008 **Print norm** BB XXX / XX.XX.2020 DE · Subject to technical and program changes, errors excepted.

Beissbarth Automotive Testing Solutions GmbH

Friedrichshafener Str. 602
82205 Gilching, Germany
sales@beissbarth.com
www.beissbarth.com

Telefon: +49-(0)89-14901-0
Telefax: +49-(0)89-14901-246

